

APPENDIX 8 – Mortar Lined Steel Pipe Data

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 1A | 3" | UNK | 25 | 0 | 9,675 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 136 | 5 | | | | | | | | |
| | 6" | ACP | 7,532 | 121 | | | | | | | | |
| | 8" | ACP | 1,857 | 17 | | | | | | | | |
| | 8" | UNK | 125 | 0 | | | | | | | | |
| 1B | 4" | ACP | 162 | 6 | 6,374 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 2,882 | 49 | | | | | | | | |
| | 6" | DIP | 14 | 0 | | | | | | | | |
| | 8" | ACP | 2,013 | 19 | | | | | | | | |
| | 8" | DIP | 632 | 2 | | | | | | | | |
| | 8" | PVC | 359 | 1 | | | | | | | | |
| | 12" | ACP | 312 | 0 | | | | | | | | |
| 1C | 4" | ACP | 65 | 1 | 10,471 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 5" | UNK | 8 | 0 | | | | | | | | |
| | 6" | ACP | 7,642 | 139 | | | | | | | | |
| | 8" | ACP | 2,292 | 31 | | | | | | | | |
| | 8" | DIP | 463 | 0 | | | | | | | | |
| 2A | 4" | DIP | 59 | 0 | 48,519 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 1,137 | 0 | | | | | | | | |
| | 6" | PVC | 827 | 32 | | | | | | | | |
| | 8" | DIP | 10,276 | 250 | | | | | | | | |
| | 8" | PVC | 7,173 | 174 | | | | | | | | |
| | 12" | DIP | 11,861 | 93 | | | | | | | | |
| | 12" | PVC | 17,186 | 96 | | | | | | | | |
| 2B | 6" | DIP | 216 | 40 | 26,882 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 5,255 | 105 | | | | | | | | |
| | 8" | PVC | 1,551 | 2 | | | | | | | | |
| | 10" | PVC | 4 | 0 | | | | | | | | |
| | 12" | DIP | 10,989 | 64 | | | | | | | | |
| | 12" | PVC | 8,866 | 14 | | | | | | | | |
| 2C | 4" | DIP | 12 | 0 | 24,984 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | DIP | 767 | 31 | | | | | | | | |
| | 8" | DIP | 10,499 | 266 | | | | | | | | |
| | 8" | PVC | 1,299 | 7 | | | | | | | | |
| | 12" | CIP | 13 | 0 | | | | | | | | |
| | 12" | DIP | 5,648 | 93 | | | | | | | | |
| | 12" | PVC | 6,745 | 14 | | | | | | | | |
| 2D | 4" | DIP | 41 | 0 | 31,003 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | PVC | 30 | 1 | | | | | | | | |
| | 6" | DIP | 2,628 | 104 | | | | | | | | |
| | 6" | PVC | 638 | 29 | | | | | | | | |
| | 8" | DIP | 17,185 | 389 | | | | | | | | |
| | 8" | PVC | 137 | 0 | | | | | | | | |
| | 12" | CIP | 17 | 0 | | | | | | | | |
| | 12" | DIP | 8,553 | 62 | | | | | | | | |
| 2E | 8" | DIP | 13,969 | 397 | 27,134 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 13,166 | 230 | | | | | | | | |
| 3A | 4" | ACP | 578 | 4 | 34,358 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 1,673 | 12 | | | | | | | | |
| | 8" | ACP | 24,829 | 181 | | | | | | | | |
| | 8" | DIP | 182 | 0 | | | | | | | | |
| | 8" | PVC | 672 | 2 | | | | | | | | |
| | 10" | ACP | 495 | 3 | | | | | | | | |
| | 10" | CIP | 579 | 2 | | | | | | | | |
| | 12" | DIP | 5,198 | 9 | | | | | | | | |
| 12" | PVC | 152 | 0 | | | | | | | | | |
| 3B | 6" | ACP | 1,151 | 12 | 28,065 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | UNK | 39 | 0 | | | | | | | | |
| | 8" | ACP | 23,364 | 172 | | | | | | | | |
| | 8" | DIP | 671 | 0 | | | | | | | | |
| | 8" | PVC | 57 | 0 | | | | | | | | |
| | 12" | UNK | 2 | 0 | | | | | | | | |
| | 12" | DIP | 2,762 | 17 | | | | | | | | |
| 12" | PVC | 18 | 0 | | | | | | | | | |
| 4 | 4" | ACP | 531 | 17 | 49,251 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 21,544 | 506 | | | | | | | | |
| | 6" | DIP | 15 | 1 | | | | | | | | |
| | 8" | ACP | 23,939 | 448 | | | | | | | | |
| | 8" | DIP | 84 | 0 | | | | | | | | |
| | 10" | ACP | 71 | 0 | | | | | | | | |
| | 12" | DIP | 2,998 | 43 | | | | | | | | |
| | 12" | UNK | 41 | 0 | | | | | | | | |
| 12" | PVC | 28 | 0 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 5A | 4" | ACP | 2,129 | 78 | 43,434 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 10,649 | 323 | | | | | | | | |
| | 6" | DIP | 80 | 2 | | | | | | | | |
| | 8" | ACP | 10,952 | 209 | | | | | | | | |
| | 8" | DIP | 65 | 0 | | | | | | | | |
| | 8" | PVC | 1,805 | 41 | | | | | | | | |
| | 10" | ACP | 4,820 | 88 | | | | | | | | |
| | 12" | ACP | 6,186 | 58 | | | | | | | | |
| | 12" | CIP | 171 | 0 | | | | | | | | |
| | 12" | DIP | 347 | 4 | | | | | | | | |
| | 12" | PVC | 6,077 | 39 | | | | | | | | |
| | 14" | ACP | 37 | 0 | | | | | | | | |
| 14" | CIP | 114 | 0 | | | | | | | | | |
| 5B | 8" | ACP | 48 | 1 | 41,075 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | PVC | 17,479 | 411 | | | | | | | | |
| | 12" | ACP | 671 | 12 | | | | | | | | |
| | 12" | DIP | 570 | 0 | | | | | | | | |
| 5C | 12" | PVC | 22,306 | 281 | 45,183 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 5" | UNK | 177 | 0 | | | | | | | | |
| | 6" | ACP | 377 | 14 | | | | | | | | |
| | 6" | DIP | 386 | 13 | | | | | | | | |
| | 8" | ACP | 11,405 | 311 | | | | | | | | |
| | 8" | DIP | 2,388 | 68 | | | | | | | | |
| | 8" | PVC | 8,204 | 244 | | | | | | | | |
| | 10" | ACP | 187 | 3 | | | | | | | | |
| 12" | ACP | 11,305 | 213 | | | | | | | | | |
| 12" | DIP | 2,799 | 30 | | | | | | | | | |
| 12" | PVC | 7,953 | 180 | | | | | | | | | |
| 6A | 4" | ACP | 2,276 | 52 | 25,706 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 15,286 | 337 | | | | | | | | |
| | 8" | ACP | 7,841 | 122 | | | | | | | | |
| | 8" | DIP | 122 | 0 | | | | | | | | |
| | 12" | DIP | 154 | 0 | | | | | | | | |
| 6B | 12" | PVC | 26 | 0 | 19,796 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 18 | 0 | | | | | | | | |
| | 6" | ACP | 14,759 | 276 | | | | | | | | |
| | 8" | ACP | 4,886 | 113 | | | | | | | | |
| 6C | 10" | ACP | 133 | 0 | 21,824 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 5,561 | 153 | | | | | | | | |
| | 6" | ACP | 11,624 | 295 | | | | | | | | |
| | 6" | DIP | 6 | 0 | | | | | | | | |
| | 8" | ACP | 4,604 | 41 | | | | | | | | |
| 6D | 8" | DIP | 28 | 0 | 23,679 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 0 | 0 | | | | | | | | |
| | 4" | ACP | 8,869 | 183 | | | | | | | | |
| | 6" | ACP | 10,551 | 170 | | | | | | | | |
| | 6" | CIP | 25 | 0 | | | | | | | | |
| | 6" | DIP | 47 | 0 | | | | | | | | |
| 6E | 8" | ACP | 3,906 | 84 | 23,824 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 279 | 4 | | | | | | | | |
| | 12" | DIP | 3 | 0 | | | | | | | | |
| | 4" | ACP | 1,509 | 30 | | | | | | | | |
| 6F | 6" | ACP | 17,822 | 342 | 10,141 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | CIP | 30 | 0 | | | | | | | | |
| | 8" | ACP | 4,321 | 78 | | | | | | | | |
| | 8" | DIP | 142 | 1 | | | | | | | | |
| | 4" | ACP | 4,687 | 63 | | | | | | | | |
| | 4" | ODS | 71 | 1 | | | | | | | | |
| | 6" | ACP | 4,631 | 93 | | | | | | | | |
| 6G1 | 6" | DIP | 9 | 0 | 9,101 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | ACP | 376 | 3 | | | | | | | | |
| | 8" | DIP | 229 | 2 | | | | | | | | |
| | 12" | DIP | 138 | 2 | | | | | | | | |
| 6G2 | 4" | ACP | 3,919 | 85 | 3,131 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 5,182 | 91 | | | | | | | | |
| | 4" | ACP | 613 | 16 | | | | | | | | |
| 6H | 6" | ACP | 2,053 | 21 | 25,252 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 465 | 10 | | | | | | | | |
| | 4" | ACP | 338 | 0 | | | | | | | | |
| | 6" | ACP | 428 | 2 | | | | | | | | |
| | 6" | DIP | 9 | 0 | | | | | | | | |
| | 8" | ACP | 109 | 1 | | | | | | | | |
| 6I | 8" | ACP | 14,250 | 353 | 15,241 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 10,118 | 189 | | | | | | | | |
| | 4" | ACP | 4,731 | 113 | | | | | | | | |
| | 6" | ACP | 7,078 | 151 | | | | | | | | |
| | 8" | ACP | 3,110 | 82 | | | | | | | | |
| | 8" | DIP | 171 | 1 | | | | | | | | |
| 6I | 8" | PVC | 125 | 1 | 15,241 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 26 | 0 | | | | | | | | |
| | 12" | DIP | 26 | 0 | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 6J | 4" | ACP | 5,327 | 104 | 12,697 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 5,572 | 86 | | | | | | | | |
| | 8" | ACP | 4 | 0 | | | | | | | | |
| | 8" | DIP | 1,537 | 39 | | | | | | | | |
| | 8" | PVC | 130 | 1 | | | | | | | | |
| 6K | 12" | DIP | 127 | 1 | 20,049 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 6,997 | 202 | | | | | | | | |
| | 6" | ACP | 7,736 | 168 | | | | | | | | |
| | 8" | ACP | 3,074 | 66 | | | | | | | | |
| | 8" | PVC | 1,967 | 30 | | | | | | | | |
| 6M | 12" | PVC | 274 | 0 | 14,466 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 5 | 0 | | | | | | | | |
| | 6" | ACP | 3,293 | 16 | | | | | | | | |
| | 6" | DIP | 20 | 0 | | | | | | | | |
| | 8" | ACP | 11 | 0 | | | | | | | | |
| 6N | 8" | DIP | 3,259 | 42 | 13,465 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 7,879 | 89 | | | | | | | | |
| | 4" | ACP | 316 | 4 | | | | | | | | |
| | 6" | ACP | 731 | 0 | | | | | | | | |
| | 6" | DIP | 42 | 1 | | | | | | | | |
| 7A1 | 8" | ACP | 47 | 0 | 8,124 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 8,416 | 214 | | | | | | | | |
| | 12" | DIP | 3,914 | 72 | | | | | | | | |
| | 6 | ACP | 574 | 0 | | | | | | | | |
| | 8 | ACP | 3,137 | 9 | | | | | | | | |
| 7A2 | 8 | PVC | 3,033 | 1 | 13,798 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12 | PVC | 531 | 0 | | | | | | | | |
| | MAFB | UNK | 850 | 0 | | | | | | | | |
| | 6 | ACP | 191 | 0 | | | | | | | | |
| | 6 | CIP | 394 | 3 | | | | | | | | |
| 7B1 | 6 | PVC | 85 | 0 | 4,439 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8 | ACP | 835 | 0 | | | | | | | | |
| | 8 | PVC | 320 | 0 | | | | | | | | |
| | 12 | PVC | 1,483 | 0 | | | | | | | | |
| | MAFB | UNK | 10,490 | 3 | | | | | | | | |
| 7B2 | 6 | ACP | 3,782 | 4 | 7,240 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | MAFB | UNK | 657 | 4 | | | | | | | | |
| | 6 | ACP | 836 | 4 | | | | | | | | |
| | 8 | ACP | 2,039 | 1 | | | | | | | | |
| | 10 | ACP | 3,888 | 7 | | | | | | | | |
| 7B3 | 10 | DIP | 6 | 0 | 8,642 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | MAFB | UNK | 471 | 2 | | | | | | | | |
| | 6 | ACP | 2,257 | 8 | | | | | | | | |
| | 8 | ACP | 1,325 | 3 | | | | | | | | |
| | 8 | DIP | 1,188 | 0 | | | | | | | | |
| 7B4 | 10 | ACP | 2,744 | 23 | 8,518 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 10 | CIP | 240 | 0 | | | | | | | | |
| | 12 | DIP | 48 | 0 | | | | | | | | |
| | MAFB | UNK | 841 | 3 | | | | | | | | |
| | 6 | ACP | 702 | 3 | | | | | | | | |
| | 6 | DIP | 16 | 0 | | | | | | | | |
| | 6 | PVC | 507 | 0 | | | | | | | | |
| | 8 | ACP | 898 | 4 | | | | | | | | |
| | 8 | PVC | 478 | 4 | | | | | | | | |
| | 10 | ACP | 1,730 | 0 | | | | | | | | |
| 10 | DIP | 317 | 0 | | | | | | | | | |
| 7B5 | 10 | UNK | 202 | 0 | 1,979 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12 | ACP | 161 | 0 | | | | | | | | |
| | 12 | DIP | 38 | 0 | | | | | | | | |
| | 12 | PVC | 402 | 0 | | | | | | | | |
| | MAFB | UNK | 3,065 | 5 | | | | | | | | |
| 7C1 | MAFB | UNK | 1,979 | 0 | 5,133 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | CIP | 2,133 | 10 | | | | | | | | |
| | 6 | ODS | 217 | 1 | | | | | | | | |
| | 8 | ODS | 172 | 1 | | | | | | | | |
| | 10 | ACP | 661 | 0 | | | | | | | | |
| 7C2 | 10 | PVC | 1,510 | 3 | 4,202 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | MAFB | UNK | 439 | 0 | | | | | | | | |
| | 4 | ACP | 36 | 1 | | | | | | | | |
| | 6 | ACP | 931 | 5 | | | | | | | | |
| | 10 | ACP | 1,807 | 8 | | | | | | | | |
| 7C3 | 10 | CIP | 1,299 | 2 | 6,834 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | MAFB | UNK | 128 | 0 | | | | | | | | |
| | 4 | ACP | 89 | 2 | | | | | | | | |
| | 6 | ACP | 75 | 0 | | | | | | | | |
| | 8 | ACP | 230 | 0 | | | | | | | | |
| | 10 | ACP | 1,603 | 3 | | | | | | | | |
| | 10 | CIP | 806 | 3 | | | | | | | | |
| 10 | DIP | 6 | 0 | | | | | | | | | |
| 7C3 | 10 | PVC | 1,099 | 0 | 2,925 | 15 | | | | | | |
| | MAFB | UNK | 2,925 | 15 | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 7C4 | 4 | CIP | 7 | 0 | 12,340 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | ACP | 1,953 | 18 | | | | | | | | |
| | 6 | CIP | 1,102 | 2 | | | | | | | | |
| | 8 | ACP | 17 | 0 | | | | | | | | |
| | 8 | DIP | 159 | 0 | | | | | | | | |
| | 10 | ACP | 1,938 | 6 | | | | | | | | |
| | 10 | PVC | 175 | 1 | | | | | | | | |
| | 12 | ACP | 3,224 | 8 | | | | | | | | |
| | 12 | DIP | 765 | 1 | | | | | | | | |
| MAFB | UNK | 3,002 | 9 | | | | | | | | | |
| 7C5 | 4 | CIP | 427 | 0 | 6,233 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | ACP | 1,443 | 8 | | | | | | | | |
| | 6 | CIP | 2,040 | 20 | | | | | | | | |
| | 6 | DIP | 254 | 0 | | | | | | | | |
| | 6 | PVC | 691 | 7 | | | | | | | | |
| | 8 | ACP | 472 | 0 | | | | | | | | |
| | 8 | DIP | 107 | 2 | | | | | | | | |
| | 10 | ACP | 5 | 0 | | | | | | | | |
| | 10 | CIP | 112 | 0 | | | | | | | | |
| MAFB | UNK | 683 | 6 | | | | | | | | | |
| 7D1 | 6 | ACP | 2,757 | 23 | 19,009 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | CIP | 1,818 | 7 | | | | | | | | |
| | 6 | UNK | 7 | 1 | | | | | | | | |
| | 8 | ACP | 1,348 | 4 | | | | | | | | |
| | 8 | CIP | 390 | 0 | | | | | | | | |
| | 10 | ACP | 3,273 | 10 | | | | | | | | |
| | 10 | CIP | 3,370 | 6 | | | | | | | | |
| | 12 | ACP | 438 | 1 | | | | | | | | |
| | 12 | DIP | 593 | 0 | | | | | | | | |
| | 14 | ACP | 440 | 0 | | | | | | | | |
| | 14 | DIP | 4 | 0 | | | | | | | | |
| | 16 | ACP | 1,476 | 4 | | | | | | | | |
| | 16 | DIP | 18 | 0 | | | | | | | | |
| | 20 | DIP | 255 | 0 | | | | | | | | |
| MAFB | UNK | 2,822 | 12 | | | | | | | | | |
| 7D2 | 4 | CIP | 34 | 0 | 8,817 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | ACP | 1,456 | 15 | | | | | | | | |
| | 6 | CIP | 321 | 4 | | | | | | | | |
| | 8 | CIP | 878 | 1 | | | | | | | | |
| | 10 | ACP | 791 | 3 | | | | | | | | |
| | 10 | CIP | 3,209 | 17 | | | | | | | | |
| | 10 | DIP | 125 | 2 | | | | | | | | |
| MAFB | UNK | 2,002 | 3 | | | | | | | | | |
| 7D3 | 6 | ACP | 2,086 | 3 | 11,506 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | CIP | 1,177 | 1 | | | | | | | | |
| | 6 | DIP | 48 | 0 | | | | | | | | |
| | 8 | CIP | 1,177 | 1 | | | | | | | | |
| | 8 | DIP | 198 | 0 | | | | | | | | |
| | 10 | ACP | 373 | 3 | | | | | | | | |
| | 10 | CIP | 3,556 | 2 | | | | | | | | |
| MAFB | UNK | 2,891 | 8 | | | | | | | | | |
| 7E1 | 6 | ACP | 631 | 2 | 13,564 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | CIP | 493 | 1 | | | | | | | | |
| | 8 | ACP | 740 | 0 | | | | | | | | |
| | 8 | CIP | 236 | 0 | | | | | | | | |
| | 8 | DIP | 361 | 0 | | | | | | | | |
| | 10 | ACP | 7,143 | 4 | | | | | | | | |
| | 10 | CIP | 1,231 | 1 | | | | | | | | |
| 10 | DIP | 210 | 0 | | | | | | | | | |
| MAFB | UNK | 2,518 | 2 | | | | | | | | | |
| 7E2 | 6 | ACP | 57 | 0 | 4,317 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 10 | ACP | 3,940 | 2 | | | | | | | | |
| | MAFB | UNK | 320 | 0 | | | | | | | | |
| 7E3 | 6 | ACP | 725 | 1 | 7,709 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | CIP | 932 | 6 | | | | | | | | |
| | 8 | ACP | 1,193 | 5 | | | | | | | | |
| | 10 | ACP | 4,075 | 8 | | | | | | | | |
| | 12 | PVC | 783 | 1 | | | | | | | | |
| 7E4 | 2 | GALV | 124 | 0 | 9,267 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | ACP | 174 | 0 | | | | | | | | |
| | 6 | CIP | 558 | 4 | | | | | | | | |
| | 6 | CONC | 792 | 3 | | | | | | | | |
| | 8 | ACP | 1,397 | 0 | | | | | | | | |
| | 8 | CIP | 391 | 1 | | | | | | | | |
| | 10 | ACP | 838 | 1 | | | | | | | | |
| | 12 | PVC | 99 | 0 | | | | | | | | |
| MAFB | UNK | 4,894 | 7 | | | | | | | | | |
| 7F1 | 8 | ACP | 749 | 2 | 7,580 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8 | CIP | 103 | 0 | | | | | | | | |
| | 8 | DIP | 12 | 0 | | | | | | | | |
| | 8 | PVC | 376 | 3 | | | | | | | | |
| | 10 | ACP | 2,074 | 4 | | | | | | | | |
| | 10 | CIP | 1,124 | 3 | | | | | | | | |
| | 12 | DIP | 1,307 | 3 | | | | | | | | |
| MAFB | UNK | 1,836 | 7 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 7F2 | 4 | CIP | 77 | 1 | 8,824 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | CIP | 868 | 2 | | | | | | | | |
| | 8 | ACP | 1,059 | 6 | | | | | | | | |
| | 8 | CIP | 1,193 | 0 | | | | | | | | |
| | 10 | ACP | 362 | 0 | | | | | | | | |
| | 10 | CIP | 4,519 | 10 | | | | | | | | |
| | MAFB | UNK | 746 | 0 | | | | | | | | |
| 7F3 | 4 | DIP | 51 | 0 | 10,033 | 791 | 7.9% | 26 | 0 | 31 | 29 | 29 |
| | 8 | ACP | 572 | 0 | | | | | | | | |
| | 8 | DIP | 180 | 0 | | | | | | | | |
| | 10 | ACP | 23 | 0 | | | | | | | | |
| | 12 | ACP | 3,101 | 1 | | | | | | | | |
| | 12 | CIP | 386 | 2 | | | | | | | | |
| | 12 | DIP | 186 | 0 | | | | | | | | |
| | 12 | MLS | 791 | 0 | | | | | | | | |
| | 12 | PVC | 926 | 2 | | | | | | | | |
| | MAFB | UNK | 3,817 | 8 | | | | | | | | |
| 7F4 | 2 | GALV | 512 | 0 | 8,837 | 148 | 1.7% | 30 | 0 | 31 | 31 | 31 |
| | 4 | CIP | 500 | 0 | | | | | | | | |
| | 4 | DIP | 222 | 0 | | | | | | | | |
| | 4 | GALV | 147 | 0 | | | | | | | | |
| | 6 | ACP | 237 | 1 | | | | | | | | |
| | 6 | UNK | 407 | 0 | | | | | | | | |
| | 8 | ACP | 1,368 | 1 | | | | | | | | |
| | 8 | CIP | 451 | 2 | | | | | | | | |
| | 8 | DIP | 240 | 0 | | | | | | | | |
| | 10 | ACP | 1,445 | 3 | | | | | | | | |
| | 12 | CIP | 972 | 0 | | | | | | | | |
| | 12 | DIP | 328 | 0 | | | | | | | | |
| | 12 | MLS | 148 | 0 | | | | | | | | |
| | MAFB | UNK | 1,861 | 3 | | | | | | | | |
| 7G1 | 6 | PVC | 398 | 1 | 5,829 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | MAFB | UNK | 5,431 | 2 | | | | | | | | |
| 7G2 | 8 | ACP | 3,133 | 7 | 5,267 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8 | DIP | 620 | 0 | | | | | | | | |
| | MAFB | UNK | 1,513 | 2 | | | | | | | | |
| 7G3 | 8 | ACP | 1,678 | 1 | 8,816 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8 | DIP | 26 | 0 | | | | | | | | |
| | 10 | ACP | 2,175 | 0 | | | | | | | | |
| | 12 | ACP | 1,259 | 3 | | | | | | | | |
| | 12 | CIP | 1,465 | 6 | | | | | | | | |
| | 16 | ACP | 141 | 0 | | | | | | | | |
| MAFB | UNK | 2,072 | 4 | | | | | | | | | |
| 7G4 | 8 | DIP | 306 | 1 | 9,051 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 10 | ACP | 5,373 | 15 | | | | | | | | |
| | 10 | DIP | 7 | 0 | | | | | | | | |
| | 12 | ACP | 277 | 1 | | | | | | | | |
| | 12 | CCP | 804 | 2 | | | | | | | | |
| | 12 | CIP | 50 | 0 | | | | | | | | |
| | 12 | DIP | 334 | 0 | | | | | | | | |
| MAFB | UNK | 1,899 | 0 | | | | | | | | | |
| 7G5 | 2 | GALV | 124 | 0 | 6,690 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8 | ACP | 3,111 | 5 | | | | | | | | |
| | 10 | ACP | 531 | 1 | | | | | | | | |
| | MAFB | UNK | 2,924 | 5 | | | | | | | | |
| 9 | 4" | ACP | 254 | 8 | 11,914 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 8,117 | 176 | | | | | | | | |
| | 8" | ACP | 3,399 | 50 | | | | | | | | |
| | 8" | DIP | 144 | 2 | | | | | | | | |
| 10 | 4" | MLS | 276 | 6 | 13,923 | 13,661 | 98.1% | 1 | 240 | 1 | 1 | 1 |
| | 6" | ACP | 250 | 0 | | | | | | | | |
| | 6" | MLS | 5,854 | 106 | | | | | | | | |
| | 8" | MLS | 3,709 | 75 | | | | | | | | |
| | 10" | MLS | 3,822 | 53 | | | | | | | | |
| | 12" | ACP | 12 | 0 | | | | | | | | |
| 11 | 6" | ACP | 2,620 | 39 | 3,187 | 567 | 17.8% | 20 | 6 | 25 | 23 | 23 |
| | 8" | MLS | 63 | 1 | | | | | | | | |
| | 10" | MLS | 505 | 5 | | | | | | | | |
| 12A | 4" | ACP | 1,734 | 63 | 48,414 | 11,561 | 23.9% | 14 | 228 | 2 | 8 | 8 |
| | 6" | ACP | 22,661 | 635 | | | | | | | | |
| | 6" | DIP | 7 | 0 | | | | | | | | |
| | 6" | MLS | 2,882 | 88 | | | | | | | | |
| | 8" | ACP | 7,970 | 135 | | | | | | | | |
| | 8" | DIP | 92 | 0 | | | | | | | | |
| | 8" | MLS | 1,749 | 19 | | | | | | | | |
| | 10" | ACP | 2,556 | 45 | | | | | | | | |
| | 10" | MLS | 2,663 | 40 | | | | | | | | |
| | 12" | ACP | 333 | 1 | | | | | | | | |
| | 12" | MLS | 417 | 7 | | | | | | | | |
| | 12" | PVC | 175 | 0 | | | | | | | | |
| | 14" | ACP | 1,327 | 19 | | | | | | | | |
| | 14" | MLS | 3,849 | 74 | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 12B | 4" | ACP | 135 | 4 | 40,027 | 152 | 0.4% | 34 | 1 | 27 | 31 | 31 |
| | 6" | ACP | 16,696 | 499 | | | | | | | | |
| | 8" | ACP | 8,790 | 178 | | | | | | | | |
| | 8" | DIP | 387 | 0 | | | | | | | | |
| | 10" | ACP | 6,666 | 82 | | | | | | | | |
| | 10" | MLS | 152 | 1 | | | | | | | | |
| | 12" | ACP | 1,834 | 50 | | | | | | | | |
| | 12" | CIP | 37 | 0 | | | | | | | | |
| | 12" | DIP | 1,343 | 2 | | | | | | | | |
| | 14" | ACP | 3,821 | 45 | | | | | | | | |
| 14" | CIP | 165 | 0 | | | | | | | | | |
| 13A | 6" | ACP | 2,255 | 75 | 38,154 | 19,876 | 52.1% | 2 | 115 | 11 | 7 | 7 |
| | 6" | DIP | 216 | 3 | | | | | | | | |
| | 6" | MLS | 4,397 | 36 | | | | | | | | |
| | 6" | PVC | 17 | 0 | | | | | | | | |
| | 8" | ACP | 2,651 | 31 | | | | | | | | |
| | 8" | DIP | 684 | 3 | | | | | | | | |
| | 8" | MLS | 1,683 | 4 | | | | | | | | |
| | 8" | PVC | 2,026 | 23 | | | | | | | | |
| | 10" | MLS | 37 | 0 | | | | | | | | |
| | 12" | ACP | 293 | 0 | | | | | | | | |
| | 12" | DIP | 1,246 | 4 | | | | | | | | |
| | 12" | MLS | 9,858 | 53 | | | | | | | | |
| | 12" | PVC | 8,483 | 56 | | | | | | | | |
| | 14" | DIP | 409 | 0 | | | | | | | | |
| 14" | MLS | 3,901 | 22 | | | | | | | | | |
| 13B | 6" | ACP | 2,678 | 96 | 35,072 | 4,442 | 12.7% | 22 | 18 | 23 | 23 | 23 |
| | 6" | MLS | 1,797 | 5 | | | | | | | | |
| | 6" | PVC | 1,017 | 38 | | | | | | | | |
| | 8" | ACP | 12,238 | 255 | | | | | | | | |
| | 8" | CIP | 315 | 0 | | | | | | | | |
| | 8" | DIP | 281 | 3 | | | | | | | | |
| | 8" | PVC | 4,036 | 86 | | | | | | | | |
| | 10" | MLS | 1,014 | 5 | | | | | | | | |
| | 12" | ACP | 3,816 | 57 | | | | | | | | |
| | 12" | DIP | 905 | 5 | | | | | | | | |
| | 12" | MLS | 1,632 | 8 | | | | | | | | |
| | 12" | PVC | 2,660 | 20 | | | | | | | | |
| 14" | ACP | 2,482 | 16 | | | | | | | | | |
| 14" | CIP | 201 | 0 | | | | | | | | | |
| 14 | 4" | ACP | 56 | 0 | 14,726 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 42 | 2 | | | | | | | | |
| | 8" | ACP | 2,572 | 37 | | | | | | | | |
| | 8" | DIP | 56 | 0 | | | | | | | | |
| | 8" | PVC | 9,713 | 178 | | | | | | | | |
| 15 | 12" | PVC | 2,287 | 48 | 5,792 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | CIP | 410 | 1 | | | | | | | | |
| | 6" | PVC | 124 | 0 | | | | | | | | |
| | 8" | PVC | 4,099 | 76 | | | | | | | | |
| 16 | 12" | PVC | 1,160 | 9 | 6,844 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 1,558 | 24 | | | | | | | | |
| | 6" | ACP | 3,832 | 62 | | | | | | | | |
| | 6" | DIP | 6 | 0 | | | | | | | | |
| | 8" | ACP | 88 | 0 | | | | | | | | |
| | 8" | DIP | 1,292 | 15 | | | | | | | | |
| 17A | 8" | PVC | 48 | 0 | 41,948 | 11,793 | 28.1% | 10 | 138 | 7 | 9 | 9 |
| | 12" | DIP | 19 | 0 | | | | | | | | |
| | 4" | ACP | 280 | 6 | | | | | | | | |
| | 6" | ACP | 8,316 | 165 | | | | | | | | |
| | 6" | MLS | 2,926 | 37 | | | | | | | | |
| | 8" | ACP | 6,315 | 113 | | | | | | | | |
| | 8" | DIP | 2,645 | 64 | | | | | | | | |
| | 8" | MLS | 4,359 | 44 | | | | | | | | |
| | 8" | ODS | 14 | 0 | | | | | | | | |
| | 8" | PVC | 7,339 | 190 | | | | | | | | |
| | 8" | UNK | 18 | 0 | | | | | | | | |
| | 10" | ACP | 32 | 0 | | | | | | | | |
| | 10" | DIP | 295 | 0 | | | | | | | | |
| | 10" | MLS | 4,493 | 57 | | | | | | | | |
| 12" | ACP | 1,414 | 5 | | | | | | | | | |
| 12" | PVC | 3,487 | 30 | | | | | | | | | |
| 14" | MLS | 15 | 0 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 17B | 2" | PVC | 317 | 3 | 45,726 | 6,593 | 14.4% | 21 | 46 | 17 | 19 | 19 |
| | 4" | ACP | 367 | 13 | | | | | | | | |
| | 4" | DIP | 198 | 4 | | | | | | | | |
| | 4" | PVC | 51 | 0 | | | | | | | | |
| | 6" | ACP | 516 | 9 | | | | | | | | |
| | 6" | MLS | 2,568 | 14 | | | | | | | | |
| | 6" | PVC | 144 | 1 | | | | | | | | |
| | 8" | ACP | 6,392 | 147 | | | | | | | | |
| | 8" | CIP | 651 | 0 | | | | | | | | |
| | 8" | MLS | 73 | 0 | | | | | | | | |
| | 8" | PVC | 4,169 | 66 | | | | | | | | |
| | 8" | UNK | 3 | 0 | | | | | | | | |
| | 10" | ACP | 603 | 0 | | | | | | | | |
| | 10" | MLS | 3,953 | 32 | | | | | | | | |
| | 12" | ACP | 3,548 | 23 | | | | | | | | |
| | 12" | CIP | 71 | 1 | | | | | | | | |
| 12" | DIP | 1,539 | 2 | | | | | | | | | |
| 12" | PVC | 20,562 | 101 | | | | | | | | | |
| 18 | 4" | ACP | 317 | 8 | 53,695 | 14,451 | 26.9% | 11 | 98 | 13 | 12 | 12 |
| | 4" | MLS | 12 | 0 | | | | | | | | |
| | 6" | ACP | 8,602 | 184 | | | | | | | | |
| | 6" | DIP | 452 | 0 | | | | | | | | |
| | 6" | MLS | 4,696 | 34 | | | | | | | | |
| | 6" | PVC | 112 | 0 | | | | | | | | |
| | 8" | ACP | 7,292 | 31 | | | | | | | | |
| | 8" | DIP | 154 | 0 | | | | | | | | |
| | 8" | MLS | 947 | 10 | | | | | | | | |
| | 8" | PVC | 1,828 | 22 | | | | | | | | |
| | 10" | ACP | 4,230 | 15 | | | | | | | | |
| | 10" | DIP | 524 | 2 | | | | | | | | |
| | 10" | MLS | 5,833 | 33 | | | | | | | | |
| | 12" | ACP | 1,848 | 3 | | | | | | | | |
| | 12" | DIP | 1,271 | 1 | | | | | | | | |
| | 12" | MLS | 2,963 | 21 | | | | | | | | |
| 12" | PVC | 12,615 | 29 | | | | | | | | | |
| 19 | 4" | ACP | 921 | 15 | 48,154 | 11,361 | 23.6% | 15 | 84 | 16 | 16 | 16 |
| | 5" | UNK | 2 | 0 | | | | | | | | |
| | 6" | ACP | 12,727 | 242 | | | | | | | | |
| | 6" | DIP | 21 | 0 | | | | | | | | |
| | 6" | MLS | 2,868 | 14 | | | | | | | | |
| | 6" | PVC | 33 | 1 | | | | | | | | |
| | 8" | ACP | 7,797 | 43 | | | | | | | | |
| | 8" | DIP | 1,606 | 2 | | | | | | | | |
| | 8" | MLS | 1,538 | 5 | | | | | | | | |
| | 8" | PVC | 4,336 | 56 | | | | | | | | |
| | 10" | ACP | 930 | 2 | | | | | | | | |
| | 10" | MLS | 6,934 | 65 | | | | | | | | |
| | 12" | DIP | 1,540 | 3 | | | | | | | | |
| | 12" | PVC | 6,880 | 17 | | | | | | | | |
| | 14" | MLS | 21 | 0 | | | | | | | | |
| | 20A | 2" | PVC | 185 | | | | | | | | |
| 4" | | ACP | 7,975 | 167 | | | | | | | | |
| 4" | | DIP | 16 | 5 | | | | | | | | |
| 6" | | ACP | 15,214 | 265 | | | | | | | | |
| 6" | | DIP | 297 | 7 | | | | | | | | |
| 6" | | PVC | 200 | 7 | | | | | | | | |
| 8" | | ACP | 7,190 | 64 | | | | | | | | |
| 8" | | DIP | 393 | 6 | | | | | | | | |
| 8" | | PVC | 88 | 0 | | | | | | | | |
| 10" | | ACP | 1,310 | 9 | | | | | | | | |
| 12" | | DIP | 322 | 0 | | | | | | | | |
| 12" | PVC | 449 | 3 | | | | | | | | | |
| 20B | 2" | PVC | 1,849 | 61 | 49,367 | 5,040 | 10.2% | 23 | 30 | 20 | 22 | 22 |
| | 2.5" | PVC | 64 | 5 | | | | | | | | |
| | 2" | COP | 63 | 0 | | | | | | | | |
| | 2" | GALV | 186 | 9 | | | | | | | | |
| | 4" | ACP | 6,007 | 284 | | | | | | | | |
| | 4" | DIP | 131 | 2 | | | | | | | | |
| | 4" | PVC | 31 | 0 | | | | | | | | |
| | 6" | ACP | 14,282 | 275 | | | | | | | | |
| | 8" | ACP | 9,729 | 119 | | | | | | | | |
| | 8" | DIP | 2,526 | 67 | | | | | | | | |
| | 8" | MLS | 1,883 | 15 | | | | | | | | |
| | 8" | PVC | 1,655 | 6 | | | | | | | | |
| | 10" | ACP | 3,620 | 32 | | | | | | | | |
| | 12" | ACP | 759 | 0 | | | | | | | | |
| | 12" | CIP | 172 | 0 | | | | | | | | |
| | 12" | DIP | 1,723 | 13 | | | | | | | | |
| | 12" | MLS | 1,212 | 7 | | | | | | | | |
| | 12" | PVC | 1,530 | 2 | | | | | | | | |
| 14" | MLS | 1,945 | 8 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 21 | 2" | COP | 59 | 2 | 7,403 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 2" | PVC | 235 | 6 | | | | | | | | |
| | 4" | ACP | 1,349 | 24 | | | | | | | | |
| | 6" | ACP | 2,879 | 37 | | | | | | | | |
| | 8" | ACP | 963 | 8 | | | | | | | | |
| | 8" | DIP | 1,855 | 37 | | | | | | | | |
| 22 | 12" | DIP | 62 | 0 | 4,022 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 2" | PVC | 80 | 1 | | | | | | | | |
| | 4" | ACP | 740 | 8 | | | | | | | | |
| | 6" | ACP | 2,231 | 32 | | | | | | | | |
| | 8" | ACP | 933 | 6 | | | | | | | | |
| 23 | 12" | PVC | 38 | 0 | 68,232 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 2" | ACP | 360 | 0 | | | | | | | | |
| | 2" | COP | 86 | 3 | | | | | | | | |
| | 2" | GALV | 401 | 10 | | | | | | | | |
| | 2" | PVC | 527 | 17 | | | | | | | | |
| | 4" | ACP | 10,103 | 146 | | | | | | | | |
| | 6" | ACP | 42,772 | 782 | | | | | | | | |
| | 8" | ACP | 11,209 | 202 | | | | | | | | |
| | 8" | DIP | 1,941 | 10 | | | | | | | | |
| | 8" | PVC | 428 | 2 | | | | | | | | |
| | 10" | ACP | 2 | 0 | | | | | | | | |
| | 12" | DIP | 124 | 0 | | | | | | | | |
| | 12" | PVC | 278 | 0 | | | | | | | | |
| 24A | 6" | ACP | 3,844 | 57 | 47,667 | 9,954 | 20.9% | 19 | 89 | 15 | 17 | 17 |
| | 6" | DIP | 228 | 0 | | | | | | | | |
| | 6" | MLS | 6,903 | 66 | | | | | | | | |
| | 8" | ACP | 9,702 | 36 | | | | | | | | |
| | 8" | CIP | 511 | 0 | | | | | | | | |
| | 8" | DIP | 1,874 | 2 | | | | | | | | |
| | 8" | PVC | 3,673 | 27 | | | | | | | | |
| | 10" | ACP | 11,644 | 47 | | | | | | | | |
| | 10" | CIP | 78 | 0 | | | | | | | | |
| | 10" | DIP | 64 | 0 | | | | | | | | |
| | 10" | MLS | 3,051 | 23 | | | | | | | | |
| | 12" | DIP | 466 | 3 | | | | | | | | |
| 24B | 12" | PVC | 5,629 | 8 | 52,872 | 11,903 | 22.5% | 16 | 141 | 6 | 11 | 11 |
| | 4" | ACP | 1,226 | 23 | | | | | | | | |
| | 4" | MLS | 179 | 0 | | | | | | | | |
| | 6" | ACP | 15,534 | 284 | | | | | | | | |
| | 6" | MLS | 5,551 | 61 | | | | | | | | |
| | 8" | ACP | 5,485 | 86 | | | | | | | | |
| | 8" | DIP | 73 | 0 | | | | | | | | |
| | 8" | PVC | 1,854 | 3 | | | | | | | | |
| | 10" | ACP | 2,043 | 50 | | | | | | | | |
| | 10" | MLS | 6,173 | 80 | | | | | | | | |
| | 12" | ACP | 4,371 | 14 | | | | | | | | |
| | 12" | CIP | 60 | 0 | | | | | | | | |
| | 12" | DIP | 229 | 0 | | | | | | | | |
| 12" | PVC | 10,094 | 45 | | | | | | | | | |
| 25 | 2" | GALV | 89 | 0 | 7,339 | 203 | 2.8% | 29 | 1 | 27 | 28 | 28 |
| | 4" | ACP | 1,449 | 37 | | | | | | | | |
| | 6" | ACP | 4,264 | 49 | | | | | | | | |
| | 8" | ACP | 152 | 2 | | | | | | | | |
| | 8" | PVC | 26 | 0 | | | | | | | | |
| | 10" | MLS | 203 | 1 | | | | | | | | |
| 26A | 12" | PVC | 1,157 | 6 | 29,601 | 14,383 | 48.6% | 3 | 161 | 4 | 4 | 4 |
| | 4" | ACP | 788 | 16 | | | | | | | | |
| | 6" | ACP | 3,576 | 60 | | | | | | | | |
| | 6" | DIP | 176 | 5 | | | | | | | | |
| | 6" | MLS | 9,355 | 99 | | | | | | | | |
| | 8" | ACP | 858 | 3 | | | | | | | | |
| | 8" | DIP | 3,671 | 29 | | | | | | | | |
| | 8" | MLS | 450 | 4 | | | | | | | | |
| | 8" | PVC | 860 | 12 | | | | | | | | |
| | 10" | ACP | 722 | 0 | | | | | | | | |
| | 10" | DIP | 10 | 1 | | | | | | | | |
| | 10" | MLS | 3,066 | 43 | | | | | | | | |
| | 12" | ACP | 383 | 1 | | | | | | | | |
| | 12" | DIP | 1,034 | 5 | | | | | | | | |
| | 12" | MLS | 1,512 | 15 | | | | | | | | |
| 12" | PVC | 3,138 | 15 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 26B | 2" | GALV | 100 | 1 | 41,502 | 15,336 | 37.0% | 7 | 167 | 3 | 5 | 5 |
| | 4" | ACP | 1,536 | 32 | | | | | | | | |
| | 4" | MLS | 6 | 0 | | | | | | | | |
| | 6" | ACP | 11,538 | 227 | | | | | | | | |
| | 6" | DIP | 68 | 1 | | | | | | | | |
| | 6" | MLS | 7,878 | 98 | | | | | | | | |
| | 6" | PVC | 157 | 6 | | | | | | | | |
| | 8" | ACP | 3,405 | 55 | | | | | | | | |
| | 8" | DIP | 758 | 7 | | | | | | | | |
| | 8" | MLS | 4,076 | 47 | | | | | | | | |
| | 8" | PVC | 1,499 | 26 | | | | | | | | |
| | 10" | ACP | 395 | 5 | | | | | | | | |
| | 12" | ACP | 1,278 | 11 | | | | | | | | |
| | 12" | DIP | 1,249 | 9 | | | | | | | | |
| 12" | MLS | 3,376 | 22 | | | | | | | | | |
| 12" | PVC | 4,182 | 18 | | | | | | | | | |
| 27 | 4" | ACP | 321 | 1 | 32,068 | 14,917 | 46.5% | 5 | 112 | 12 | 9 | 9 |
| | 6" | ACP | 5,064 | 137 | | | | | | | | |
| | 6" | DIP | 73 | 1 | | | | | | | | |
| | 6" | MLS | 4,711 | 52 | | | | | | | | |
| | 8" | ACP | 1,816 | 25 | | | | | | | | |
| | 8" | DIP | 1,686 | 11 | | | | | | | | |
| | 8" | MLS | 2,942 | 26 | | | | | | | | |
| | 8" | PVC | 1,890 | 31 | | | | | | | | |
| | 10" | ACP | 1,179 | 28 | | | | | | | | |
| | 10" | MLS | 1,871 | 4 | | | | | | | | |
| | 12" | ACP | 323 | 1 | | | | | | | | |
| | 12" | DIP | 3,081 | 18 | | | | | | | | |
| | 12" | MLS | 5,393 | 30 | | | | | | | | |
| | 12" | PVC | 1,718 | 15 | | | | | | | | |
| 28 | 4" | ACP | 146 | 2 | 52,204 | 14,711 | 28.2% | 9 | 127 | 8 | 9 | 9 |
| | 4" | PVC | 21 | 0 | | | | | | | | |
| | 6" | ACP | 19,032 | 374 | | | | | | | | |
| | 6" | MLS | 1,051 | 19 | | | | | | | | |
| | 8" | ACP | 8,324 | 138 | | | | | | | | |
| | 8" | DIP | 140 | 1 | | | | | | | | |
| | 8" | MLS | 9,922 | 91 | | | | | | | | |
| | 8" | PVC | 3,018 | 44 | | | | | | | | |
| | 10" | ACP | 180 | 1 | | | | | | | | |
| | 10" | MLS | 2,302 | 15 | | | | | | | | |
| | 12" | ACP | 308 | 0 | | | | | | | | |
| | 12" | DIP | 115 | 1 | | | | | | | | |
| | 12" | MLS | 1,436 | 2 | | | | | | | | |
| | 12" | PVC | 6,210 | 26 | | | | | | | | |
| 29 | 2" | ACP | 71 | 2 | 50,010 | 10,853 | 21.7% | 18 | 98 | 13 | 16 | 16 |
| | 4" | ACP | 1,120 | 26 | | | | | | | | |
| | 6" | ACP | 11,639 | 173 | | | | | | | | |
| | 6" | DIP | 616 | 12 | | | | | | | | |
| | 6" | MLS | 1,208 | 23 | | | | | | | | |
| | 8" | ACP | 17,126 | 139 | | | | | | | | |
| | 8" | DIP | 1,852 | 23 | | | | | | | | |
| | 8" | MLS | 1,228 | 16 | | | | | | | | |
| | 10" | CIP | 105 | 0 | | | | | | | | |
| | 10" | MLS | 8,417 | 59 | | | | | | | | |
| | 12" | ACP | 816 | 1 | | | | | | | | |
| | 12" | DIP | 3,306 | 24 | | | | | | | | |
| | 12" | PVC | 2,508 | 15 | | | | | | | | |
| | 30 | 6" | ACP | 3,022 | | | | | | | | |
| 8" | | PVC | 196 | 0 | | | | | | | | |
| 31A | 2" | COP | 159 | 4 | 26,726 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 2,438 | 46 | | | | | | | | |
| | 6" | ACP | 16,404 | 235 | | | | | | | | |
| | 8" | ACP | 4,015 | 60 | | | | | | | | |
| | 8" | DIP | 2,089 | 19 | | | | | | | | |
| | 8" | PVC | 526 | 8 | | | | | | | | |
| | 10" | ACP | 114 | 0 | | | | | | | | |
| | 12" | PVC | 981 | 0 | | | | | | | | |
| 31B | 2" | ABS | 250 | 4 | 1,137 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 96 | 2 | | | | | | | | |
| | 6" | ACP | 297 | 6 | | | | | | | | |
| | 8" | ACP | 493 | 6 | | | | | | | | |
| 32 | 2" | GALV | 69 | 2 | 10,528 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 2" | PVC | 308 | 5 | | | | | | | | |
| | 4" | ACP | 1,242 | 21 | | | | | | | | |
| | 6" | ACP | 6,686 | 120 | | | | | | | | |
| | 6" | PVC | 7 | 0 | | | | | | | | |
| | 8" | ACP | 1,052 | 9 | | | | | | | | |
| | 10" | ACP | 994 | 9 | | | | | | | | |
| 12" | ACP | 170 | 0 | | | | | | | | | |
| 33 | 2" | GALV | 75 | 1 | 17,751 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 2" | PVC | 155 | 5 | | | | | | | | |
| | 4" | ACP | 813 | 12 | | | | | | | | |
| | 6" | ACP | 9,359 | 151 | | | | | | | | |
| | 8" | ACP | 4,770 | 61 | | | | | | | | |
| 12" | DIP | 2,579 | 6 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK | | | | | | | | | |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|-------|------------------------|------|--------------|---------------|----|--------|--------|-------|---|-----|---|---|---|
| 34 | 4" | ACP | 1,145 | 20 | 5,806 | 1,260 | 21.7% | 17 | 4 | 26 | 22 | 22 | | | | | | | | | |
| | 6" | ACP | 2,558 | 38 | | | | | | | | | | | | | | | | | |
| | 8" | ACP | 811 | 5 | | | | | | | | | | | | | | | | | |
| | 10" | MLS | 1,260 | 4 | | | | | | | | | | | | | | | | | |
| | 12" | ACP | 31 | 0 | | | | | | | | | | | | | | | | | |
| 35 | 4" | ACP | 211 | 4 | 32,529 | 15,587 | 47.9% | 4 | 159 | 5 | 5 | 5 | | | | | | | | | |
| | 6" | ACP | 15,092 | 271 | | | | | | | | | | | | | | | | | |
| | 6" | MLS | 6,545 | 76 | | | | | | | | | | | | | | | | | |
| | 8" | ACP | 937 | 11 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 422 | 5 | | | | | | | | | | | | | | | | | |
| | 8" | MLS | 6,163 | 68 | | | | | | | | | | | | | | | | | |
| | 8" | PVC | 260 | 3 | | | | | | | | | | | | | | | | | |
| | 10" | ACP | 4 | 0 | | | | | | | | | | | | | | | | | |
| | 10" | MLS | 2,879 | 15 | | | | | | | | | | | | | | | | | |
| | 12" | PVC | 17 | 0 | | | | | | | | | | | | | | | | | |
| | 36 | 4" | ACP | 232 | | | | | | | | | 8 | 45,851 | 16,903 | 36.9% | 8 | 120 | 9 | 9 | 9 |
| | | 4" | DIP | 62 | | | | | | | | | 0 | | | | | | | | |
| 6" | | ACP | 13,338 | 286 | | | | | | | | | | | | | | | | | |
| 6" | | MLS | 10,448 | 63 | | | | | | | | | | | | | | | | | |
| 8" | | ACP | 3,038 | 43 | | | | | | | | | | | | | | | | | |
| 8" | | DIP | 2,513 | 26 | | | | | | | | | | | | | | | | | |
| 8" | | MLS | 6,455 | 57 | | | | | | | | | | | | | | | | | |
| 8" | | PVC | 3,224 | 76 | | | | | | | | | | | | | | | | | |
| 10" | | ACP | 699 | 1 | | | | | | | | | | | | | | | | | |
| 12" | | ACP | 1,423 | 3 | | | | | | | | | | | | | | | | | |
| 12" | | DIP | 255 | 0 | | | | | | | | | | | | | | | | | |
| 12" | | PVC | 4,165 | 14 | | | | | | | | | | | | | | | | | |
| 37 | | 4" | ACP | 28 | 0 | 3,353 | 1,321 | 39.4% | 6 | 0 | 31 | 19 | 19 | | | | | | | | |
| | | 6" | ACP | 1,989 | 32 | | | | | | | | | | | | | | | | |
| | 6" | MLS | 866 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | MLS | 455 | 0 | | | | | | | | | | | | | | | | | |
| | 12" | DIP | 15 | 0 | | | | | | | | | | | | | | | | | |
| 38A | 2" | GALV | 75 | 0 | 35,627 | 2,255 | 6.3% | 28 | 28 | 21 | 25 | 25 | | | | | | | | | |
| | 3" | UNK | 61 | 2 | | | | | | | | | | | | | | | | | |
| | 4" | ACP | 130 | 4 | | | | | | | | | | | | | | | | | |
| | 6" | ACP | 18,379 | 254 | | | | | | | | | | | | | | | | | |
| | 6" | CIP | 301 | 2 | | | | | | | | | | | | | | | | | |
| | 6" | DIP | 32 | 0 | | | | | | | | | | | | | | | | | |
| | 6" | UNK | 61 | 1 | | | | | | | | | | | | | | | | | |
| | 6" | MLS | 1,246 | 11 | | | | | | | | | | | | | | | | | |
| | 6" | PVC | 50 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | ACP | 7,857 | 117 | | | | | | | | | | | | | | | | | |
| | 8" | CIP | 90 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 151 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | UNK | 26 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | MLS | 1,009 | 17 | | | | | | | | | | | | | | | | | |
| | 8" | PVC | 1,148 | 16 | | | | | | | | | | | | | | | | | |
| | 10" | ACP | 2,191 | 17 | | | | | | | | | | | | | | | | | |
| | 10" | UNK | 36 | 0 | | | | | | | | | | | | | | | | | |
| | 12" | ACP | 1,525 | 19 | | | | | | | | | | | | | | | | | |
| | 12" | DIP | 424 | 6 | | | | | | | | | | | | | | | | | |
| 12" | PVC | 837 | 4 | | | | | | | | | | | | | | | | | | |
| 38B | 2" | GALV | 139 | 2 | 39,424 | 10,473 | 26.6% | 12 | 119 | 10 | 11 | 11 | | | | | | | | | |
| | 4" | ACP | 721 | 13 | | | | | | | | | | | | | | | | | |
| | 6" | ACP | 17,111 | 357 | | | | | | | | | | | | | | | | | |
| | 6" | CIP | 4 | 0 | | | | | | | | | | | | | | | | | |
| | 6" | DIP | 823 | 14 | | | | | | | | | | | | | | | | | |
| | 6" | MLS | 5,474 | 55 | | | | | | | | | | | | | | | | | |
| | 8" | ACP | 5,071 | 91 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 769 | 7 | | | | | | | | | | | | | | | | | |
| | 8" | MLS | 1,870 | 32 | | | | | | | | | | | | | | | | | |
| | 8" | PVC | 848 | 20 | | | | | | | | | | | | | | | | | |
| | 10" | ACP | 1,702 | 30 | | | | | | | | | | | | | | | | | |
| | 10" | MLS | 3,129 | 32 | | | | | | | | | | | | | | | | | |
| | 12" | ACP | 1,037 | 21 | | | | | | | | | | | | | | | | | |
| | 12" | PVC | 726 | 7 | | | | | | | | | | | | | | | | | |
| 39 | 2" | GALV | 399 | 5 | 11,793 | 52 | 0.4% | 33 | 0 | 31 | 32 | 32 | | | | | | | | | |
| | 4" | ACP | 1,458 | 18 | | | | | | | | | | | | | | | | | |
| | 6" | ACP | 5,867 | 77 | | | | | | | | | | | | | | | | | |
| | 6" | CIP | 688 | 4 | | | | | | | | | | | | | | | | | |
| | 6" | PVC | 346 | 3 | | | | | | | | | | | | | | | | | |
| | 8" | ACP | 2,846 | 37 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 103 | 3 | | | | | | | | | | | | | | | | | |
| | 8" | PVC | 3 | 0 | | | | | | | | | | | | | | | | | |
| | 10" | UNK | 30 | 0 | | | | | | | | | | | | | | | | | |
| 12" | MLS | 52 | 0 | | | | | | | | | | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 42G | 4" | ACP | 1 | 0 | 2,729 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 1,478 | 17 | | | | | | | | |
| | 8" | DIP | 1,250 | 36 | | | | | | | | |
| 43A | 2" | GALV | 185 | 2 | 12,047 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 2,595 | 49 | | | | | | | | |
| | 4" | UNK | 12 | 0 | | | | | | | | |
| | 6" | ACP | 4,572 | 67 | | | | | | | | |
| | 6" | DIP | 22 | 0 | | | | | | | | |
| | 8" | ACP | 2,666 | 27 | | | | | | | | |
| | 8" | DIP | 30 | 0 | | | | | | | | |
| | 8" | PVC | 1,398 | 7 | | | | | | | | |
| | 10" | PVC | 15 | 0 | | | | | | | | |
| | 12" | DIP | 8 | 0 | | | | | | | | |
| | 12" | PVC | 544 | 0 | | | | | | | | |
| 43B | 8" | DIP | 105 | 2 | 105 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| 43C | 6" | ACP | 424 | 1 | 1,505 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | DIP | 81 | 0 | | | | | | | | |
| | 8" | ACP | 230 | 2 | | | | | | | | |
| | 8" | DIP | 762 | 11 | | | | | | | | |
| | 12" | PVC | 8 | 0 | | | | | | | | |
| 43D | 4" | ACP | 238 | 2 | 1,440 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 348 | 2 | | | | | | | | |
| | 8" | PVC | 839 | 9 | | | | | | | | |
| | 12" | DIP | 15 | 0 | | | | | | | | |
| 44 | 2" | GALV | 55 | 1 | 26,355 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 479 | 4 | | | | | | | | |
| | 6" | ACP | 3,961 | 41 | | | | | | | | |
| | 6" | DIP | 19 | 0 | | | | | | | | |
| | 6" | PVC | 14 | 0 | | | | | | | | |
| | 8" | ACP | 5,265 | 30 | | | | | | | | |
| | 8" | DIP | 2,603 | 27 | | | | | | | | |
| | 8" | ODS | 96 | 0 | | | | | | | | |
| | 8" | PVC | 2,842 | 31 | | | | | | | | |
| | 10" | ACP | 313 | 0 | | | | | | | | |
| | 10" | PVC | 265 | 0 | | | | | | | | |
| | 12" | ACP | 1,073 | 3 | | | | | | | | |
| | 12" | DIP | 2,903 | 8 | | | | | | | | |
| | 12" | PVC | 6,466 | 14 | | | | | | | | |
| 45A | 4" | ODS | 1 | 0 | 42,546 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 216 | 0 | | | | | | | | |
| | 6" | DIP | 400 | 12 | | | | | | | | |
| | 6" | ODS | 336 | 1 | | | | | | | | |
| | 6" | PVC | 336 | 0 | | | | | | | | |
| | 8" | ACP | 1,314 | 2 | | | | | | | | |
| | 8" | DIP | 13,844 | 244 | | | | | | | | |
| | 8" | PVC | 4,387 | 4 | | | | | | | | |
| | 8" | UNK | 18 | 0 | | | | | | | | |
| | 10" | ACP | 8 | 0 | | | | | | | | |
| | 12" | ACP | 9 | 0 | | | | | | | | |
| | 12" | DIP | 17,055 | 180 | | | | | | | | |
| | 12" | PVC | 4,625 | 36 | | | | | | | | |
| 45B | 2" | GALV | 226 | 6 | 8,593 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 1,807 | 24 | | | | | | | | |
| | 4" | DIP | 34 | 0 | | | | | | | | |
| | 4" | UNK | 23 | 0 | | | | | | | | |
| | 6" | ACP | 2,913 | 43 | | | | | | | | |
| | 6" | PVC | 104 | 1 | | | | | | | | |
| | 8" | ACP | 1,279 | 18 | | | | | | | | |
| | 8" | DIP | 526 | 12 | | | | | | | | |
| | 8" | ODS | 42 | 0 | | | | | | | | |
| | 8" | PVC | 933 | 1 | | | | | | | | |
| | 12" | DIP | 684 | 5 | | | | | | | | |
| | 12" | PVC | 22 | 0 | | | | | | | | |
| | 46 | 4" | ODS | 645 | | | | | | | | |
| 6" | | ACP | 9 | 0 | | | | | | | | |
| 6" | | ODS | 1,108 | 10 | | | | | | | | |
| 6" | | PVC | 67 | 1 | | | | | | | | |
| 8" | | DIP | 67 | 1 | | | | | | | | |
| 8" | | ODS | 626 | 6 | | | | | | | | |
| 8" | | PVC | 9,340 | 192 | | | | | | | | |
| 12" | | DIP | 37 | 0 | | | | | | | | |
| 12" | PVC | 494 | 2 | | | | | | | | | |
| 47 | 6" | PVC | 1,488 | 45 | 1,636 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 25 | 0 | | | | | | | | |
| | 8" | PVC | 123 | 0 | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 48 | 2" | GALV | 308 | 5 | 22,194 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 1,591 | 28 | | | | | | | | |
| | 4" | ODS | 5,607 | 90 | | | | | | | | |
| | 4" | PVC | 45 | 0 | | | | | | | | |
| | 6" | ACP | 2,806 | 26 | | | | | | | | |
| | 6" | ODS | 9,035 | 139 | | | | | | | | |
| | 8" | ACP | 1,313 | 2 | | | | | | | | |
| | 8" | ODS | 329 | 0 | | | | | | | | |
| | 8" | PVC | 759 | 2 | | | | | | | | |
| | 12" | DIP | 378 | 4 | | | | | | | | |
| 12" | PVC | 22 | 0 | | | | | | | | | |
| 49 | 6" | ODS | 20 | 0 | 3,006 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 12 | 0 | | | | | | | | |
| | 8" | ODS | 132 | 0 | | | | | | | | |
| | 8" | PVC | 2,472 | 69 | | | | | | | | |
| | 12" | PVC | 369 | 1 | | | | | | | | |
| 51 | 6" | ACP | 725 | 8 | 33,290 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | DIP | 682 | 19 | | | | | | | | |
| | 6" | ODS | 20 | 0 | | | | | | | | |
| | 6" | PVC | 27 | 0 | | | | | | | | |
| | 8" | ACP | 58 | 0 | | | | | | | | |
| | 8" | DIP | 16,995 | 380 | | | | | | | | |
| | 8" | PVC | 2,562 | 18 | | | | | | | | |
| | 12" | DIP | 12,189 | 140 | | | | | | | | |
| 12" | PVC | 33 | 0 | | | | | | | | | |
| 52A | 2" | GALV | 1 | 0 | 17,181 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 573 | 10 | | | | | | | | |
| | 6" | ACP | 2,545 | 38 | | | | | | | | |
| | 6" | DIP | 98 | 0 | | | | | | | | |
| | 8" | ACP | 3,269 | 30 | | | | | | | | |
| | 8" | DIP | 2,701 | 57 | | | | | | | | |
| | 10" | ACP | 47 | 0 | | | | | | | | |
| | 10" | DIP | 109 | 0 | | | | | | | | |
| 52B | 12" | DIP | 7,837 | 46 | 10,951 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | DIP | 207 | 4 | | | | | | | | |
| | 8" | DIP | 4,372 | 98 | | | | | | | | |
| | 12" | DIP | 6,372 | 65 | | | | | | | | |
| 53 | 2" | GALV | 252 | 6 | 31,423 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 2,274 | 46 | | | | | | | | |
| | 4" | UNK | 15 | 0 | | | | | | | | |
| | 6" | ACP | 22,640 | 302 | | | | | | | | |
| | 6" | ODS | 14 | 0 | | | | | | | | |
| | 8" | ACP | 1,837 | 13 | | | | | | | | |
| | 8" | DIP | 256 | 0 | | | | | | | | |
| | 8" | PVC | 2,539 | 5 | | | | | | | | |
| | 10" | ACP | 113 | 2 | | | | | | | | |
| | 12" | DIP | 1,482 | 5 | | | | | | | | |
| 54 | 2" | ACP | 331 | 3 | 10,320 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 2,335 | 33 | | | | | | | | |
| | 6" | ACP | 6,103 | 82 | | | | | | | | |
| | 8" | PVC | 992 | 1 | | | | | | | | |
| | 12" | DIP | 558 | 0 | | | | | | | | |
| 55 | 2" | GALV | 50 | 1 | 36,934 | 2,995 | 8.1% | 25 | 20 | 22 | 24 | 31 |
| | 4" | ACP | 1,539 | 25 | | | | | | | | |
| | 4" | PVC | 78 | 4 | | | | | | | | |
| | 6" | ACP | 21,943 | 364 | | | | | | | | |
| | 6" | DIP | 184 | 4 | | | | | | | | |
| | 6" | UNK | 23 | 1 | | | | | | | | |
| | 6" | MLS | 1,507 | 9 | | | | | | | | |
| | 8" | ACP | 4,770 | 55 | | | | | | | | |
| | 8" | DIP | 232 | 6 | | | | | | | | |
| | 8" | UNK | 5 | 0 | | | | | | | | |
| | 8" | MLS | 1,488 | 11 | | | | | | | | |
| | 8" | PVC | 1,712 | 2 | | | | | | | | |
| | 10" | ACP | 167 | 0 | | | | | | | | |
| | 10" | UNK | 12 | 0 | | | | | | | | |
| | 12" | ACP | 1,313 | 9 | | | | | | | | |
| | 12" | DIP | 1,485 | 1 | | | | | | | | |
| 12" | PVC | 426 | 1 | | | | | | | | | |
| 56A | 1.25" | GALV | 198 | 4 | 32,273 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 2" | COP | 103 | 2 | | | | | | | | |
| | 2" | GALV | 1,878 | 39 | | | | | | | | |
| | 4" | ACP | 3,469 | 53 | | | | | | | | |
| | 4" | UNK | 46 | 1 | | | | | | | | |
| | 4" | ODS | 1,575 | 31 | | | | | | | | |
| | 6" | ACP | 9,673 | 112 | | | | | | | | |
| | 6" | ODS | 12,032 | 216 | | | | | | | | |
| | 8" | ACP | 958 | 4 | | | | | | | | |
| | 8" | DIP | 29 | 0 | | | | | | | | |
| | 8" | ODS | 2,163 | 23 | | | | | | | | |
| | 10" | PVC | 45 | 0 | | | | | | | | |
| | 12" | DIP | 99 | 0 | | | | | | | | |
| | 12" | PVC | 5 | 0 | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 56B | 2" | GALV | 132 | 0 | 6,003 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 1,492 | 27 | | | | | | | | |
| | 6" | ACP | 2,259 | 40 | | | | | | | | |
| | 6" | ODS | 1,020 | 3 | | | | | | | | |
| | 6" | PVC | 599 | 6 | | | | | | | | |
| 57 | 8" | PVC | 501 | 1 | 44,245 | 3,292 | 7.4% | 27 | 14 | 24 | 26 | 26 |
| | 2" | COP | 142 | 2 | | | | | | | | |
| | 2" | GALV | 520 | 8 | | | | | | | | |
| | 3" | UNK | 36 | 1 | | | | | | | | |
| | 4" | ACP | 4,098 | 40 | | | | | | | | |
| | 4" | UNK | 46 | 0 | | | | | | | | |
| | 6" | ACP | 19,782 | 243 | | | | | | | | |
| | 6" | DIP | 129 | 0 | | | | | | | | |
| | 6" | UNK | 23 | 0 | | | | | | | | |
| | 6" | MLS | 1,348 | 7 | | | | | | | | |
| | 6" | ODS | 206 | 1 | | | | | | | | |
| | 6" | PVC | 434 | 3 | | | | | | | | |
| | 8" | ACP | 5,989 | 61 | | | | | | | | |
| | 8" | DIP | 1,788 | 35 | | | | | | | | |
| | 8" | MLS | 1,944 | 7 | | | | | | | | |
| | 8" | PVC | 4,138 | 24 | | | | | | | | |
| | 8" | UNK | 5 | 0 | | | | | | | | |
| | 58A | 10" | UNK | 21 | | | | | | | | |
| 12" | | DIP | 529 | 2 | | | | | | | | |
| 12" | | PVC | 3,068 | 8 | | | | | | | | |
| 2" | | GALV | 109 | 1 | | | | | | | | |
| 4" | | ACP | 119 | 1 | | | | | | | | |
| 6" | | ACP | 336 | 0 | | | | | | | | |
| 6" | | PVC | 328 | 8 | | | | | | | | |
| 58B | 8" | DIP | 9,832 | 224 | 3,999 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 2,831 | 29 | | | | | | | | |
| | 12" | PVC | 515 | 0 | | | | | | | | |
| | 4" | ACP | 151 | 0 | | | | | | | | |
| | 6" | ACP | 146 | 0 | | | | | | | | |
| 58C | 8" | ACP | 114 | 0 | 923 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 901 | 14 | | | | | | | | |
| 59 | 8" | DIP | 2,373 | 69 | 7,350 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 1,215 | 16 | | | | | | | | |
| | 8" | ACP | 98 | 1 | | | | | | | | |
| | 8" | DIP | 4,341 | 84 | | | | | | | | |
| 60 | 8" | PVC | 998 | 11 | 424 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 1,912 | 11 | | | | | | | | |
| 60A | 8" | DIP | 228 | 2 | 11,021 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 196 | 1 | | | | | | | | |
| | 8" | ACP | 139 | 1 | | | | | | | | |
| | 8" | DIP | 8,999 | 157 | | | | | | | | |
| 60B | 12" | DIP | 1,883 | 36 | 6,066 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 2,477 | 38 | | | | | | | | |
| | 8" | ODS | 33 | 0 | | | | | | | | |
| | 8" | PVC | 2 | 0 | | | | | | | | |
| | 10" | UNK | 17 | 0 | | | | | | | | |
| | 10" | PVC | 1,429 | 6 | | | | | | | | |
| 61 | 12" | DIP | 2,109 | 28 | 5,689 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | DIP | 2 | 0 | | | | | | | | |
| | 6" | DIP | 10 | 0 | | | | | | | | |
| | 8" | ACP | 31 | 0 | | | | | | | | |
| | 8" | DIP | 2,804 | 58 | | | | | | | | |
| | 8" | PVC | 131 | 0 | | | | | | | | |
| 62 | 12" | DIP | 2,710 | 36 | 5,120 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 4,890 | 73 | | | | | | | | |
| 63 | 12" | DIP | 229 | 3 | 32,796 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 18 | 0 | | | | | | | | |
| | 6" | UNK | 46 | 0 | | | | | | | | |
| | 6" | ODS | 65 | 0 | | | | | | | | |
| | 6" | PVC | 3,310 | 65 | | | | | | | | |
| | 8" | ACP | 335 | 0 | | | | | | | | |
| | 8" | DIP | 315 | 1 | | | | | | | | |
| | 8" | UNK | 3 | 0 | | | | | | | | |
| | 8" | PVC | 24,464 | 366 | | | | | | | | |
| | 10" | UNK | 23 | 1 | | | | | | | | |
| | 10" | PVC | 28 | 0 | | | | | | | | |
| | 12" | DIP | 242 | 1 | | | | | | | | |
| | 12" | PVC | 3,947 | 41 | | | | | | | | |
| 64 | 8" | DIP | 2,710 | 57 | 3,351 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 12" | DIP | 641 | 18 | | | | | | | | |
| 65 | 6" | ACP | 151 | 0 | 13,277 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | DIP | 24 | 0 | | | | | | | | |
| | 6" | ODS | 118 | 0 | | | | | | | | |
| | 8" | ACP | 823 | 3 | | | | | | | | |
| | 8" | DIP | 7,069 | 106 | | | | | | | | |
| | 8" | ODS | 407 | 6 | | | | | | | | |
| | 8" | PVC | 34 | 0 | | | | | | | | |
| 12" | DIP | 4,651 | 38 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK | | | | | | | | | |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|----|-------|---|------|----|---|----|----|----|
| 66A | 6" | ACP | 285 | 1 | 6,375 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 6" | DIP | 52 | 0 | | | | | | | | | | | | | | | | | |
| | 6" | ODS | 21 | 0 | | | | | | | | | | | | | | | | | |
| | 6" | PVC | 45 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 2,397 | 10 | | | | | | | | | | | | | | | | | |
| | 8" | ODS | 84 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | PVC | 1,918 | 3 | | | | | | | | | | | | | | | | | |
| | 8" | UNK | 62 | 0 | | | | | | | | | | | | | | | | | |
| 66B | 10" | PVC | 117 | 0 | 5,288 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 12" | DIP | 1,393 | 7 | | | | | | | | | | | | | | | | | |
| | 4" | ACP | 188 | 4 | | | | | | | | | | | | | | | | | |
| | 5" | UNK | 136 | 10 | | | | | | | | | | | | | | | | | |
| | 6" | ACP | 1,895 | 13 | | | | | | | | | | | | | | | | | |
| | 6" | DIP | 19 | 0 | | | | | | | | | | | | | | | | | |
| | 6" | PVC | 1,160 | 13 | | | | | | | | | | | | | | | | | |
| | 8" | ACP | 1,737 | 8 | | | | | | | | | | | | | | | | | |
| 66C | 8" | DIP | 11 | 0 | 2,792 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 8" | PVC | 458 | 2 | | | | | | | | | | | | | | | | | |
| | 12" | DIP | 213 | 1 | | | | | | | | | | | | | | | | | |
| | 6" | ACP | 413 | 3 | | | | | | | | | | | | | | | | | |
| | 6" | ODS | 1,870 | 37 | | | | | | | | | | | | | | | | | |
| 66D | 6" | DIP | 120 | 1 | 2,105 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 6" | PVC | 2 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 129 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | PVC | 24 | 0 | | | | | | | | | | | | | | | | | |
| | 12" | DIP | 507 | 5 | | | | | | | | | | | | | | | | | |
| 66E | 6" | ACP | 725 | 2 | 7,364 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 10" | PVC | 24 | 0 | | | | | | | | | | | | | | | | | |
| | 12" | DIP | 507 | 5 | | | | | | | | | | | | | | | | | |
| | 3" | UNK | 4 | 0 | | | | | | | | | | | | | | | | | |
| | 6" | ACP | 4,538 | 35 | | | | | | | | | | | | | | | | | |
| | 6" | DIP | 43 | 0 | | | | | | | | | | | | | | | | | |
| | 6" | UNK | 20 | 0 | | | | | | | | | | | | | | | | | |
| 66F | 6" | PVC | 20 | 0 | 597 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 8" | ACP | 3 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 38 | 0 | | | | | | | | | | | | | | | | | |
| | 12" | DIP | 2,697 | 7 | | | | | | | | | | | | | | | | | |
| 67 | 12" | DIP | 597 | 2 | 1,808 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 3" | UNK | 103 | 2 | | | | | | | | | | | | | | | | | |
| | 4" | UNK | 31 | 1 | | | | | | | | | | | | | | | | | |
| | 8" | ACP | 445 | 1 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 728 | 17 | | | | | | | | | | | | | | | | | |
| 68 | 12" | DIP | 501 | 9 | 899 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 6" | DIP | 10 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 11 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | ODS | 3 | 0 | | | | | | | | | | | | | | | | | |
| 69 | 8" | PVC | 875 | 13 | 4,959 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 6" | ACP | 12 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 4,126 | 70 | | | | | | | | | | | | | | | | | |
| 70 | 12" | DIP | 821 | 4 | 30,972 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 4" | ODS | 53 | 0 | | | | | | | | | | | | | | | | | |
| | 6" | ACP | 1,399 | 25 | | | | | | | | | | | | | | | | | |
| | 6" | DIP | 16 | 0 | | | | | | | | | | | | | | | | | |
| | 8" | ACP | 161 | 1 | | | | | | | | | | | | | | | | | |
| | 8" | DIP | 17,761 | 315 | | | | | | | | | | | | | | | | | |
| 71 | 8" | ODS | 199 | 0 | 25,833 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 | | | | | | | | | |
| | 8" | PVC | 3,395 | 40 | | | | | | | | | | | | | | | | | |
| | 10" | ACP | 178 | 1 | | | | | | | | | | | | | | | | | |
| | 10" | DIP | 27 | 0 | | | | | | | | | | | | | | | | | |
| | 10" | PVC | 33 | 0 | | | | | | | | | | | | | | | | | |
| | 12" | ACP | 231 | 0 | | | | | | | | | | | | | | | | | |
| | 12" | DIP | 7,484 | 49 | | | | | | | | | | | | | | | | | |
| | 12" | PVC | 5 | 0 | | | | | | | | | | | | | | | | | |
| | 72 | 4" | ACP | 3,514 | | | | | | | | | 64 | 9,398 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | | 6" | ACP | 3,902 | | | | | | | | | 53 | | | | | | | | |
| | | 8" | ACP | 1,846 | | | | | | | | | 18 | | | | | | | | |
| | | 8" | DIP | 3 | | | | | | | | | 0 | | | | | | | | |
| 8" | | PVC | 118 | 0 | | | | | | | | | | | | | | | | | |
| 10" | | UNK | 7 | 0 | | | | | | | | | | | | | | | | | |
| 12" | | ACP | 4 | 0 | | | | | | | | | | | | | | | | | |
| | 12" | PVC | 5 | 0 | | | | | | | | | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 74 | 4" | ACP | 3,498 | 53 | 11,794 | 5 | 0.0% | 36 | 0 | 31 | 34 | 34 |
| | 4" | UNK | 20 | 0 | | | | | | | | |
| | 6" | ACP | 6,263 | 72 | | | | | | | | |
| | 6" | UNK | 3 | 0 | | | | | | | | |
| | 6" | PVC | 10 | 0 | | | | | | | | |
| | 8" | ACP | 547 | 4 | | | | | | | | |
| | 8" | DIP | 3 | 0 | | | | | | | | |
| | 8" | PVC | 1,306 | 0 | | | | | | | | |
| | 12" | MLS | 5 | 0 | | | | | | | | |
| 76A | 12" | PVC | 139 | 0 | 9,392 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 8 | 0 | | | | | | | | |
| | 6" | ACP | 514 | 0 | | | | | | | | |
| | 6" | DIP | 7 | 0 | | | | | | | | |
| | 8" | ACP | 1,957 | 4 | | | | | | | | |
| | 8" | DIP | 4,121 | 119 | | | | | | | | |
| 76B | 8" | PVC | 534 | 0 | 5,406 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 5 | 0 | | | | | | | | |
| | 8" | DIP | 2,811 | 95 | | | | | | | | |
| 76C | 12" | DIP | 2,590 | 16 | 3,082 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 278 | 6 | | | | | | | | |
| | 6" | UNK | 22 | 0 | | | | | | | | |
| | 8" | ACP | 1,655 | 31 | | | | | | | | |
| | 8" | DIP | 332 | 9 | | | | | | | | |
| 76D | 8" | PVC | 449 | 0 | 9,708 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 10" | PVC | 347 | 3 | | | | | | | | |
| | 2" | GALV | 235 | 7 | | | | | | | | |
| | 4" | ACP | 841 | 11 | | | | | | | | |
| | 4" | ODS | 1,037 | 27 | | | | | | | | |
| | 6" | ACP | 779 | 10 | | | | | | | | |
| | 6" | ODS | 3,587 | 66 | | | | | | | | |
| | 6" | PVC | 83 | 0 | | | | | | | | |
| | 8" | ACP | 660 | 7 | | | | | | | | |
| | 8" | ODS | 910 | 0 | | | | | | | | |
| 76F | 8" | PVC | 1,454 | 7 | 3,991 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 10" | PVC | 24 | 0 | | | | | | | | |
| | 12" | DIP | 97 | 0 | | | | | | | | |
| | 6" | ACP | 1,864 | 26 | | | | | | | | |
| | 6" | DIP | 4 | 0 | | | | | | | | |
| | 6" | ODS | 808 | 12 | | | | | | | | |
| 76G | 8" | ACP | 1,178 | 7 | 2,095 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 33 | 0 | | | | | | | | |
| | 8" | PVC | 32 | 0 | | | | | | | | |
| | 12" | DIP | 72 | 1 | | | | | | | | |
| | 6" | ACP | 211 | 3 | | | | | | | | |
| 76H | 6" | DIP | 30 | 0 | 3,627 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | ACP | 0 | 0 | | | | | | | | |
| | 8" | DIP | 11 | 0 | | | | | | | | |
| | 12" | DIP | 1,843 | 27 | | | | | | | | |
| 76I | 6" | ACP | 2,288 | 12 | 3,888 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | UNK | 92 | 0 | | | | | | | | |
| | 6" | ODS | 54 | 0 | | | | | | | | |
| | 8" | ACP | 534 | 2 | | | | | | | | |
| | 12" | DIP | 659 | 0 | | | | | | | | |
| | 4" | ACP | 4 | 1 | | | | | | | | |
| | 4" | PVC | 591 | 5 | | | | | | | | |
| | 6" | ACP | 1,005 | 23 | | | | | | | | |
| | 6" | ODS | 436 | 6 | | | | | | | | |
| | 8" | DIP | 128 | 4 | | | | | | | | |
| | 8" | UNK | 6 | 0 | | | | | | | | |
| | 8" | ODS | 549 | 6 | | | | | | | | |
| | 8" | PVC | 586 | 11 | | | | | | | | |
| 76J | 10" | UNK | 4 | 0 | 1,137 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 10" | ODS | 290 | 0 | | | | | | | | |
| | 10" | PVC | 64 | 0 | | | | | | | | |
| | 12" | DIP | 226 | 0 | | | | | | | | |
| 76K | 6" | UNK | 1 | 0 | 1,224 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | ACP | 453 | 2 | | | | | | | | |
| | 8" | DIP | 43 | 0 | | | | | | | | |
| | 12" | DIP | 640 | 1 | | | | | | | | |
| | 4" | ACP | 14 | 1 | | | | | | | | |
| | 6" | ACP | 346 | 5 | | | | | | | | |
| 77 | 6" | UNK | 1 | 0 | 2,061 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | PVC | 2 | 0 | | | | | | | | |
| | 8" | ACP | 42 | 0 | | | | | | | | |
| | 8" | PVC | 49 | 0 | | | | | | | | |
| 77 | 12" | DIP | 772 | 8 | 2,061 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 933 | 30 | | | | | | | | |
| | 6" | ACP | 633 | 9 | | | | | | | | |
| 77 | 8" | ACP | 492 | 10 | 2,061 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 10" | PVC | 3 | 0 | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 78 | 2" | GALV | 468 | 12 | 16,721 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 3" | UNK | 99 | 3 | | | | | | | | |
| | 4" | ACP | 549 | 7 | | | | | | | | |
| | 4" | ODS | 419 | 2 | | | | | | | | |
| | 6" | ACP | 1,099 | 13 | | | | | | | | |
| | 6" | DIP | 294 | 3 | | | | | | | | |
| | 6" | UNK | 23 | 0 | | | | | | | | |
| | 6" | ODS | 7,191 | 134 | | | | | | | | |
| | 8" | ACP | 431 | 2 | | | | | | | | |
| | 8" | DIP | 311 | 6 | | | | | | | | |
| | 8" | UNK | 10 | 0 | | | | | | | | |
| | 8" | ODS | 3,141 | 70 | | | | | | | | |
| | 8" | PVC | 1,036 | 2 | | | | | | | | |
| 10" | ODS | 227 | 3 | | | | | | | | | |
| 12" | DIP | 1,423 | 6 | | | | | | | | | |
| 79 | 6" | ACP | 98 | 1 | 7,500 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ODS | 229 | 2 | | | | | | | | |
| | 8" | DIP | 4,678 | 116 | | | | | | | | |
| | 8" | ODS | 551 | 10 | | | | | | | | |
| | 8" | PVC | 1,898 | 19 | | | | | | | | |
| | 10" | UNK | 42 | 0 | | | | | | | | |
| 10" | PVC | 5 | 0 | | | | | | | | | |
| 80 | 2" | GALV | 414 | 10 | 30,018 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 839 | 12 | | | | | | | | |
| | 4" | ODS | 4,932 | 123 | | | | | | | | |
| | 6" | ACP | 2,380 | 33 | | | | | | | | |
| | 6" | DIP | 108 | 0 | | | | | | | | |
| | 6" | ODS | 8,686 | 148 | | | | | | | | |
| | 6" | PVC | 267 | 5 | | | | | | | | |
| | 8" | ACP | 2,882 | 21 | | | | | | | | |
| | 8" | DIP | 1,974 | 42 | | | | | | | | |
| | 8" | ODS | 4,111 | 31 | | | | | | | | |
| | 8" | PVC | 1,832 | 13 | | | | | | | | |
| | 10" | UNK | 56 | 0 | | | | | | | | |
| | 12" | DIP | 1,538 | 6 | | | | | | | | |
| 81 | 2" | GALV | 4 | 0 | 13,830 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ODS | 740 | 7 | | | | | | | | |
| | 6" | ACP | 4 | 0 | | | | | | | | |
| | 6" | DIP | 28 | 0 | | | | | | | | |
| | 6" | ODS | 1,871 | 9 | | | | | | | | |
| | 8" | DIP | 8,271 | 178 | | | | | | | | |
| | 8" | ODS | 11 | 0 | | | | | | | | |
| | 10" | ACP | 1 | 0 | | | | | | | | |
| | 12" | DIP | 2,900 | 26 | | | | | | | | |
| 82 | 3" | UNK | 29 | 2 | 16,039 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 67 | 1 | | | | | | | | |
| | 4" | UNK | 6 | 0 | | | | | | | | |
| | 6" | ACP | 2,672 | 21 | | | | | | | | |
| | 8" | ACP | 8,393 | 32 | | | | | | | | |
| | 8" | DIP | 1,090 | 13 | | | | | | | | |
| | 10" | ACP | 1,303 | 6 | | | | | | | | |
| | 10" | UNK | 10 | 0 | | | | | | | | |
| | 12" | DIP | 2,469 | 1 | | | | | | | | |
| 83 | 6" | ACP | 1,788 | 45 | 13,380 | 144 | 1.1% | 32 | 1 | 27 | 30 | 30 |
| | 6" | DIP | 453 | 8 | | | | | | | | |
| | 6" | UNK | 6 | 0 | | | | | | | | |
| | 6" | PVC | 84 | 1 | | | | | | | | |
| | 8" | ACP | 659 | 8 | | | | | | | | |
| | 8" | DIP | 3,721 | 53 | | | | | | | | |
| | 8" | PVC | 1,274 | 21 | | | | | | | | |
| | 12" | DIP | 5,251 | 25 | | | | | | | | |
| 84 | 8" | ACP | 100 | 1 | 4,973 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 2,012 | 29 | | | | | | | | |
| | 8" | PVC | 150 | 1 | | | | | | | | |
| | 12" | DIP | 2,710 | 20 | | | | | | | | |
| 85 | 2" | GALV | 758 | 18 | 21,435 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 921 | 11 | | | | | | | | |
| | 4" | UNK | 29 | 0 | | | | | | | | |
| | 4" | ODS | 1,849 | 21 | | | | | | | | |
| | 6" | ACP | 2,295 | 29 | | | | | | | | |
| | 6" | ODS | 11,989 | 217 | | | | | | | | |
| | 8" | ACP | 458 | 2 | | | | | | | | |
| | 8" | DIP | 233 | 4 | | | | | | | | |
| 8" | ODS | 2,904 | 47 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 86A | 2" | COP | 138 | 1 | 27,905 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 2" | GALV | 218 | 5 | | | | | | | | |
| | 4" | DIP | 10 | 0 | | | | | | | | |
| | 6" | ACP | 12,373 | 166 | | | | | | | | |
| | 6" | UNK | 23 | 0 | | | | | | | | |
| | 8" | ACP | 12,826 | 95 | | | | | | | | |
| | 8" | DIP | 1,615 | 18 | | | | | | | | |
| | 8" | UNK | 1 | 1 | | | | | | | | |
| | 8" | PVC | 277 | 0 | | | | | | | | |
| | 10" | ACP | 332 | 7 | | | | | | | | |
| | 10" | DIP | 30 | 0 | | | | | | | | |
| | 12" | DIP | 3 | 0 | | | | | | | | |
| 12" | PVC | 58 | 0 | | | | | | | | | |
| 86B | 4" | ACP | 220 | 1 | 26,731 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 8,484 | 165 | | | | | | | | |
| | 6" | DIP | 74 | 0 | | | | | | | | |
| | 8" | ACP | 14,685 | 147 | | | | | | | | |
| | 10" | ACP | 2,404 | 5 | | | | | | | | |
| | 12" | DIP | 787 | 4 | | | | | | | | |
| 12" | PVC | 77 | 0 | | | | | | | | | |
| 86C | 2" | COP | 33 | 0 | 27,557 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 2" | GALV | 124 | 2 | | | | | | | | |
| | 4" | ACP | 455 | 8 | | | | | | | | |
| | 4" | DIP | 12 | 0 | | | | | | | | |
| | 6" | ACP | 12,214 | 120 | | | | | | | | |
| | 6" | DIP | 26 | 0 | | | | | | | | |
| | 6" | UNK | 7 | 0 | | | | | | | | |
| | 6" | ODS | 28 | 0 | | | | | | | | |
| | 6" | PVC | 429 | 13 | | | | | | | | |
| | 8" | ACP | 7,761 | 70 | | | | | | | | |
| | 8" | DIP | 1,476 | 14 | | | | | | | | |
| | 8" | PVC | 4,336 | 96 | | | | | | | | |
| | 10" | ACP | 107 | 0 | | | | | | | | |
| | 10" | PVC | 549 | 13 | | | | | | | | |
| 12" | DIP | 1 | 0 | | | | | | | | | |
| 87A | 8" | ACP | 449 | 2 | 449 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| 87B | 2" | GALV | 77 | 2 | 1,832 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 3 | 0 | | | | | | | | |
| | 4" | ODS | 128 | 0 | | | | | | | | |
| | 8" | ODS | 1,624 | 24 | | | | | | | | |
| 87C | 4" | ACP | 768 | 7 | 7,189 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ODS | 2 | 1 | | | | | | | | |
| | 6" | ACP | 542 | 5 | | | | | | | | |
| | 6" | ODS | 5,734 | 40 | | | | | | | | |
| | 6" | PVC | 104 | 2 | | | | | | | | |
| | 8" | DIP | 37 | 0 | | | | | | | | |
| 87D | 2" | GALV | 25 | 1 | 3,210 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6" | ACP | 1,548 | 12 | | | | | | | | |
| | 6" | ODS | 295 | 3 | | | | | | | | |
| | 8" | DIP | 899 | 9 | | | | | | | | |
| | 8" | PVC | 444 | 6 | | | | | | | | |
| 88 | 2" | GALV | 1,369 | 5 | 34,984 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 3,375 | 34 | | | | | | | | |
| | 4" | ODS | 2,942 | 35 | | | | | | | | |
| | 6" | ACP | 2,587 | 23 | | | | | | | | |
| | 6" | DIP | 32 | 0 | | | | | | | | |
| | 6" | UNK | 9 | 0 | | | | | | | | |
| | 6" | ODS | 17,338 | 149 | | | | | | | | |
| | 6" | PVC | 59 | 0 | | | | | | | | |
| | 8" | ACP | 1,129 | 7 | | | | | | | | |
| | 8" | DIP | 451 | 6 | | | | | | | | |
| | 8" | ODS | 4,164 | 40 | | | | | | | | |
| | 8" | PVC | 21 | 0 | | | | | | | | |
| | 10" | UNK | 2 | 0 | | | | | | | | |
| 10" | PVC | 1,507 | 7 | | | | | | | | | |
| 89 | 4" | ACP | 3 | 0 | 12,807 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ODS | 471 | 7 | | | | | | | | |
| | 6" | ACP | 534 | 3 | | | | | | | | |
| | 6" | DIP | 36 | 0 | | | | | | | | |
| | 6" | ODS | 566 | 0 | | | | | | | | |
| | 8" | DIP | 6,067 | 111 | | | | | | | | |
| | 8" | ODS | 794 | 5 | | | | | | | | |
| | 12" | DIP | 4,337 | 75 | | | | | | | | |
| 90A | 2" | GALV | 448 | 12 | 30,547 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 6,684 | 142 | | | | | | | | |
| | 6" | ACP | 15,661 | 246 | | | | | | | | |
| | 8" | ACP | 3,292 | 61 | | | | | | | | |
| | 8" | UNK | 115 | 0 | | | | | | | | |
| | 8" | PVC | 4,306 | 0 | | | | | | | | |
| | 10" | UNK | 34 | 0 | | | | | | | | |
| | 10" | PVC | 5 | 0 | | | | | | | | |
| 90B | 2" | GALV | 82 | 2 | 4,563 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 799 | 9 | | | | | | | | |
| | 6" | ACP | 3,601 | 52 | | | | | | | | |
| | 8" | ACP | 80 | 0 | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 90C | 2" | GALV | 101 | 2 | 18,498 | 24 | 0.1% | 35 | 0 | 31 | 33 | 33 |
| | 4" | ACP | 945 | 18 | | | | | | | | |
| | 4" | ODS | 3,964 | 103 | | | | | | | | |
| | 6" | ACP | 3,007 | 45 | | | | | | | | |
| | 6" | ODS | 3,857 | 63 | | | | | | | | |
| | 8" | UNK | 30 | 0 | | | | | | | | |
| | 8" | ODS | 4,266 | 81 | | | | | | | | |
| | 8" | PVC | 2,111 | 2 | | | | | | | | |
| | 12" | DIP | 15 | 1 | | | | | | | | |
| | 12" | MLS | 24 | 0 | | | | | | | | |
| 12" | PVC | 178 | 0 | | | | | | | | | |
| 90D | 2" | GALV | 175 | 0 | 2,329 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 196 | 3 | | | | | | | | |
| | 4" | UNK | 20 | 0 | | | | | | | | |
| | 6" | ACP | 1,494 | 25 | | | | | | | | |
| | 8" | PVC | 444 | 5 | | | | | | | | |
| 12" | PVC | 5 | 0 | | | | | | | | | |
| 91 | 2" | GALV | 181 | 3 | 44,065 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 2,004 | 31 | | | | | | | | |
| | 4" | DIP | 3 | 0 | | | | | | | | |
| | 6" | ACP | 18,397 | 210 | | | | | | | | |
| | 6" | DIP | 29 | 2 | | | | | | | | |
| | 6" | UNK | 68 | 0 | | | | | | | | |
| | 6" | PVC | 272 | 4 | | | | | | | | |
| | 8" | ACP | 10,746 | 85 | | | | | | | | |
| | 8" | DIP | 2,908 | 30 | | | | | | | | |
| | 8" | PVC | 3,502 | 33 | | | | | | | | |
| | 10" | ACP | 447 | 3 | | | | | | | | |
| | 10" | PVC | 722 | 9 | | | | | | | | |
| | 12" | ACP | 27 | 0 | | | | | | | | |
| | 12" | DIP | 1,530 | 3 | | | | | | | | |
| 12" | PVC | 3,228 | 14 | | | | | | | | | |
| 92 | 6" | ACP | 512 | 9 | 512 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| 93A | 4 | ACP | 2,961 | 36 | 38,024 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 6 | ACP | 12,679 | 183 | | | | | | | | |
| | 6 | UNK | 23 | 0 | | | | | | | | |
| | 8 | ACP | 17,611 | 168 | | | | | | | | |
| | 8 | UNK | 2 | 0 | | | | | | | | |
| | 8 | PVC | 1,331 | 23 | | | | | | | | |
| | 10 | ACP | 310 | 3 | | | | | | | | |
| | 10 | PVC | 424 | 0 | | | | | | | | |
| | 12 | ACP | 1,827 | 13 | | | | | | | | |
| | 12 | PVC | 86 | 0 | | | | | | | | |
| | 14 | ACP | 770 | 8 | | | | | | | | |
| | 93B | 4" | ACP | 1,780 | | | | | | | | |
| 6" | | ACP | 23,976 | 330 | | | | | | | | |
| 6" | | UNK | 46 | 0 | | | | | | | | |
| 6" | | PVC | 247 | 3 | | | | | | | | |
| 8" | | ACP | 7,421 | 92 | | | | | | | | |
| 8" | | DIP | 260 | 10 | | | | | | | | |
| 8" | | PVC | 1,326 | 21 | | | | | | | | |
| 10" | | ACP | 870 | 80 | | | | | | | | |
| 12" | PVC | 70 | 0 | | | | | | | | | |
| 93C | 2" | GALV | 38 | 0 | 36,492 | 4 | 0.0% | 37 | 0 | 31 | 34 | 34 |
| | 4" | ACP | 1,734 | 34 | | | | | | | | |
| | 4" | UNK | 24 | 1 | | | | | | | | |
| | 4" | PVC | 134 | 4 | | | | | | | | |
| | 6" | ACP | 13,564 | 206 | | | | | | | | |
| | 6" | DIP | 468 | 6 | | | | | | | | |
| | 6" | UNK | 38 | 0 | | | | | | | | |
| | 6" | PVC | 405 | 7 | | | | | | | | |
| | 8" | ACP | 9,977 | 84 | | | | | | | | |
| | 8" | DIP | 30 | 3 | | | | | | | | |
| | 8" | PVC | 2,542 | 29 | | | | | | | | |
| | 10" | ACP | 1,833 | 18 | | | | | | | | |
| | 10" | UNK | 3 | 0 | | | | | | | | |
| | 10" | PVC | 59 | 0 | | | | | | | | |
| | 12" | ACP | 5,639 | 69 | | | | | | | | |
| 12" | MLS | 4 | 0 | | | | | | | | | |
| 93D | 2" | GALV | 262 | 3 | 34,027 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 4" | ACP | 1,950 | 56 | | | | | | | | |
| | 4" | DIP | 7 | 4 | | | | | | | | |
| | 4" | PVC | 45 | 0 | | | | | | | | |
| | 6" | ACP | 20,192 | 322 | | | | | | | | |
| | 8" | ACP | 9,756 | 151 | | | | | | | | |
| | 8" | DIP | 192 | 0 | | | | | | | | |
| | 10" | ACP | 220 | 0 | | | | | | | | |
| | 10" | UNK | 14 | 0 | | | | | | | | |
| | 12" | ACP | 1,388 | 22 | | | | | | | | |
| 94 | 2" | COP | 33 | 0 | 307 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 8" | DIP | 271 | 1 | | | | | | | | |
| | 12" | PVC | 2 | 0 | | | | | | | | |
| 95 | 8" | ACP | 654 | 6 | 668 | 0 | 0.0% | 38 | 0 | 31 | 35 | 45 |
| | 10" | UNK | 14 | 0 | | | | | | | | |
| 12" | PVC | 0 | 0 | | | | | | | | | |

| AREA | PIPE SIZE | PIPE TYPE | LINEAR FEET | SERVICE CONNECTIONS | TOTAL L.F. PER AREA | TOTAL L.F. OF MLS | % MLS | RANK | NUMBER OF MLS SERVICES | RANK | AVERAGE RANK | WEIGHTED RANK |
|------|-----------|-----------|-------------|---------------------|---------------------|-------------------|-------|------|------------------------|------|--------------|---------------|
| 96 | 2 | GALV | 209 | 4 | 5,445 | 0.0% | 0 | 38 | 0 | 31 | 35 | 45 |
| | 4 | ODS | 104 | 4 | | | | | | | | |
| | 6 | ACP | 3,057 | 32 | | | | | | | | |
| | 6 | ODS | 2,057 | 31 | | | | | | | | |
| | 8 | ACP | 18 | 0 | | | | | | | | |