

## APPENDIX 4 – Line Size Data

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
1A	3	UNK	25	0	0	9,668	28
	4	ACP	136	5	436		
	6	ACP	7,532	121	2,241		
	8	ACP	1,857	17	6,991		
	8	UNK	125	0	0		
1B	4	ACP	162	6	431	52,550	114
	6	ACP	2,882	49	2,118		
	6	DIP	14	0	0		
	8	ACP	2,013	19	6,781		
	8	DIP	632	2	20,239		
	8	PVC	359	1	22,982		
1C	12	ACP	312	0	0	7,756	20
	4	ACP	65	1	1,045		
	5	UNK	8	0	0		
	6	ACP	7,642	139	1,979		
	8	ACP	2,292	31	4,732		
2A	8	DIP	463	0	0	50,344	111
	4	DIP	59	0	0		
	6	ACP	1,137	0	0		
	6	PVC	827	32	931		
	8	DIP	10,276	250	2,631		
	8	PVC	7,173	174	2,638		
	12	DIP	11,861	93	18,365		
2B	12	PVC	17,186	96	25,778	168,961	163
	6	DIP	216	40	194		
	8	DIP	5,255	105	3,203		
	8	PVC	1,551	2	49,643		
	10	PVC	4	0	0		
	12	DIP	10,989	64	24,726		
2C	12	PVC	8,866	14	91,194	93,422	143
	4	DIP	12	0	0		
	6	DIP	767	31	891		
	8	DIP	10,499	266	2,526		
	8	PVC	1,299	7	11,878		
	12	CIP	13	0	0		
	12	DIP	5,648	93	8,746		
2D	12	PVC	6,745	14	69,381	40,845	99
	4	DIP	41	0	0		
	4	PVC	30	1	475		
	6	DIP	2,628	104	910		
	6	PVC	638	29	791		
	8	DIP	17,185	389	2,827		
	8	PVC	137	0	0		
	12	CIP	17	0	0		
	12	DIP	8,553	62	19,864		
2E	12	PVC	1,775	16	15,977	10,495	32
	8	DIP	13,969	397	2,252		
3A	12	DIP	13,166	230	8,243	166,194	162
	4	ACP	578	4	2,313		
	6	ACP	1,673	12	5,019		
	8	ACP	24,829	181	8,779		
	8	DIP	182	0	0		
	8	PVC	672	2	21,495		
	10	ACP	495	3	16,491		
	10	CIP	579	2	28,930		
3B	12	DIP	5,198	9	83,167	35,547	89
	12	PVC	152	0	0		
	6	ACP	1,151	12	3,454		
	8	UNK	39	0	0		
	8	ACP	23,364	172	8,694		
	8	DIP	671	0	0		
	8	PVC	57	0	0		
	12	UNK	2	0	0		
12	DIP	2,762	17	23,400			
	12	PVC	18	0	0		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
4	4	ACP	531	17	499	16,027	47
	6	ACP	21,544	506	1,533		
	6	DIP	15	1	533		
	8	ACP	23,939	448	3,420		
	8	DIP	84	0	0		
	10	ACP	71	0	0		
	12	DIP	2,998	43	10,041		
	12	UNK	41	0	0		
5A	4	ACP	2,129	78	437	65,005	126
	6	ACP	10,649	323	1,187		
	6	DIP	80	2	1,446		
	8	ACP	10,952	209	3,354		
	8	DIP	65	0	0		
	8	PVC	1,805	41	2,818		
	10	ACP	4,820	88	5,477		
	12	ACP	6,186	58	15,358		
	12	CIP	171	0	0		
	12	DIP	347	4	12,489		
	12	PVC	6,077	39	22,439		
	14	ACP	37	0	0		
	14	CIP	114	0	0		
	5B	8	ACP	48	1		
8		PVC	17,479	411	2,722		
12		ACP	671	12	8,057		
12		DIP	570	0	0		
12		PVC	22,306	281	11,431		
5C	5	UNK	177	0	0	42,455	100
	6	ACP	377	14	971		
	6	DIP	386	13	1,070		
	8	ACP	11,405	311	2,347		
	8	DIP	2,388	68	2,248		
	8	PVC	8,204	244	2,152		
	10	ACP	187	3	6,229		
	12	ACP	11,305	213	7,643		
	12	DIP	2,799	30	13,433		
6A	4	ACP	2,276	52	700	6,447	15
	6	ACP	15,286	337	1,633		
	8	ACP	7,841	122	4,114		
	8	DIP	122	0	0		
	12	DIP	154	0	0		
	12	PVC	26	0	0		
6B	4	ACP	18	0	0	4,692	11
	6	ACP	14,759	276	1,925		
	8	ACP	4,886	113	2,767		
	10	ACP	133	0	0		
6C	4	ACP	5,561	153	582	9,187	25
	6	ACP	11,624	295	1,419		
	6	DIP	6	0	0		
	8	ACP	4,604	41	7,187		
	8	DIP	28	0	0		
6D	12	DIP	0	0	0	10,454	31
	4	ACP	8,869	183	775		
	6	ACP	10,551	170	2,234		
	6	CIP	25	0	0		
	6	DIP	47	0	0		
	8	ACP	3,906	84	2,976		
	8	DIP	279	4	4,468		
6E	12	DIP	3	0	0	15,305	45
	4	ACP	1,509	30	805		
	6	ACP	17,822	342	1,876		
	6	CIP	30	0	0		
	8	ACP	4,321	78	3,546		
6F	8	DIP	142	1	9,079	29,422	82
	4	ACP	4,687	63	1,190		
	4	ODS	71	1	1,139		
	6	ACP	4,631	93	1,793		
	6	DIP	9	0	0		
	8	ACP	376	3	8,023		
	8	DIP	229	2	7,336		
12	DIP	138	2	9,941			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
6G1	4	ACP	3,919	85	738	2,788	6
	6	ACP	5,182	91	2,050		
6G2	4	ACP	613	16	613	7,108	19
	6	ACP	2,053	21	3,519		
	8	DIP	465	10	2,976		
6H	4	ACP	338	0	0	24,979	71
	6	ACP	428	2	7,710		
	6	DIP	9	0	0		
	8	ACP	109	1	6,976		
	8	DIP	14,250	353	2,584		
	12	DIP	10,118	189	7,709		
6I	4	ACP	4,731	113	670	23,678	69
	6	ACP	7,078	151	1,687		
	8	ACP	3,110	82	2,428		
	8	DIP	171	1	10,921		
	8	PVC	125	1	7,972		
	12	DIP	26	0	0		
6J	4	ACP	5,327	104	819	32,338	86
	6	ACP	5,572	86	2,332		
	8	ACP	4	0	0		
	8	DIP	1,537	39	2,522		
	8	PVC	130	1	8,338		
	12	DIP	127	1	18,326		
6K	4	ACP	6,997	202	554	9,390	27
	6	ACP	7,736	168	1,658		
	8	ACP	3,074	66	2,981		
	8	PVC	1,967	30	4,197		
	12	PVC	274	0	0		
6M	4	ACP	5	0	0	25,122	72
	6	ACP	3,293	16	7,408		
	6	DIP	20	0	0		
	8	ACP	11	0	0		
	8	DIP	3,259	42	4,966		
	12	DIP	7,879	89	12,748		
6N	4	ACP	316	4	1,263	13,105	38
	6	ACP	731	0	0		
	6	DIP	42	1	1,497		
	8	ACP	47	0	0		
	8	DIP	8,416	214	2,517		
	12	DIP	3,914	72	7,827		
7A1	6	ACP	574	0	0	216,388	177
	8	ACP	3,137	9	22,306		
	8	PVC	3,033	1	194,082		
	12	PVC	531	0	0		
	MAFB	UNK	850	0	0		
7A2	6	ACP	191	0	0	92,141	141
	6	CIP	394	3	4,724		
	6	PVC	85	0	0		
	8	ACP	835	0	0		
	8	PVC	320	0	0		
	12	PVC	1,483	0	0		
	MAFB	UNK	10,490	3	87,417		
7B1	6	ACP	3,782	4	34,035	38,144	94
	MAFB	UNK	657	4	4,108		
7B2	6	ACP	836	4	7,520	199,435	170
	8	ACP	2,039	1	130,483		
	10	ACP	3,888	7	55,544		
	10	DIP	6	0	0		
	MAFB	UNK	471	2	5,889		
7B3	6	ACP	2,257	8	10,156	57,360	119
	8	ACP	1,325	3	28,268		
	8	DIP	1,188	0	0		
	10	ACP	2,744	23	11,928		
	10	CIP	240	0	0		
	12	DIP	48	0	0		
MAFB	UNK	841	3	7,008			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
7B4	6	ACP	702	3	8,428	45,780	107
	6	DIP	16	0	0		
	6	PVC	507	0	0		
	8	ACP	898	4	14,369		
	8	PVC	478	4	7,656		
	10	ACP	1,730	0	0		
	10	DIP	317	0	0		
	10	UNK	202	0	0		
	12	ACP	161	0	0		
	12	DIP	38	0	0		
	12	PVC	402	0	0		
	MAFB	UNK	3,065	5	15,327		
7B5	MAFB	UNK	1,979	0	0	0	191
7C1	6	CIP	2,133	10	7,678	76,844	133
	6	ODS	217	1	7,811		
	8	ODS	172	1	11,016		
	10	ACP	661	0	0		
	10	PVC	1,510	3	50,339		
	MAFB	UNK	439	0	0		
7C2	4	ACP	36	1	575	94,826	146
	6	ACP	931	5	6,704		
	10	ACP	1,807	8	22,591		
	10	CIP	1,299	2	64,957		
		MAFB	UNK	128	0		
7C3	4	ACP	89	2	716	85,879	138
	6	ACP	75	0	0		
	8	ACP	230	0	0		
	10	ACP	1,603	3	53,430		
	10	CIP	806	3	26,858		
	10	DIP	6	0	0		
	10	PVC	1,099	0	0		
	MAFB	UNK	2,925	15	4,876		
7C4	4	CIP	7	0	0	241,673	180
	6	ACP	1,953	18	3,907		
	6	CIP	1,102	2	19,832		
	8	ACP	17	0	0		
	8	DIP	159	0	0		
	10	ACP	1,938	6	32,301		
	10	PVC	175	1	17,498		
	12	ACP	3,224	8	58,029		
	12	DIP	765	1	110,106		
	MAFB	UNK	3,002	9	8,338		
7C5	4	CIP	427	0	0	19,981	61
	6	ACP	1,443	8	6,492		
	6	CIP	2,040	20	3,673		
	6	DIP	254	0	0		
	6	PVC	691	7	3,554		
	8	ACP	472	0	0		
	8	DIP	107	2	3,417		
	10	ACP	5	0	0		
	10	CIP	112	0	0		
	MAFB	UNK	683	6	2,844		
7D1	6	ACP	2,757	23	4,315	287,875	183
	6	CIP	1,818	7	9,350		
	6	UNK	7	1	243		
	8	ACP	1,348	4	21,564		
	8	CIP	390	0	0		
	10	ACP	3,273	10	32,727		
	10	CIP	3,370	6	56,174		
	12	ACP	438	1	63,135		
	12	DIP	593	0	0		
	14	ACP	440	0	0		
	14	DIP	4	0	0		
	16	ACP	1,476	4	94,486		
	16	DIP	18	0	0		
	20	DIP	255	0	0		
	MAFB	UNK	2,822	12	5,880		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
7D2	4	CIP	34	0	0	130,761	153
	6	ACP	1,456	15	3,496		
	6	CIP	321	4	2,891		
	8	CIP	878	1	56,183		
	10	ACP	791	3	26,355		
	10	CIP	3,209	17	18,877		
	10	DIP	125	2	6,272		
	MAFB	UNK	2,002	3	16,686		
7D3	6	ACP	2,086	3	25,029	342,009	185
	6	CIP	1,177	1	42,373		
	6	DIP	48	0	0		
	8	CIP	1,177	1	75,330		
	8	DIP	198	0	0		
	10	ACP	373	3	12,418		
	10	CIP	3,556	2	177,824		
	MAFB	UNK	2,891	8	9,036		
7E1	6	ACP	631	2	11,359	362,283	186
	6	CIP	493	1	17,733		
	8	ACP	740	0	0		
	8	CIP	236	0	0		
	8	DIP	361	0	0		
	10	ACP	7,143	4	178,567		
	10	CIP	1,231	1	123,144		
	MAFB	UNK	2,518	2	31,479		
7E2	6	ACP	57	0	0	197,022	168
	10	ACP	3,940	2	197,022		
		MAFB	UNK	320	0		
7E3	6	ACP	725	1	26,103	210,718	175
	6	CIP	932	6	5,594		
	8	ACP	1,193	5	15,270		
	10	ACP	4,075	8	50,935		
	12	PVC	783	1	112,815		
7E4	2	GALV	124	0	0	140,771	155
	6	ACP	174	0	0		
	6	CIP	558	4	5,024		
	6	CONC	792	3	9,506		
	8	ACP	1,397	0	0		
	8	CIP	391	1	24,993		
	10	ACP	838	1	83,769		
	12	PVC	99	0	0		
	MAFB	UNK	4,894	7	17,480		
7F1	8	ACP	749	2	23,968	190,584	167
	8	CIP	103	0	0		
	8	DIP	12	0	0		
	8	PVC	376	3	8,014		
	10	ACP	2,074	4	51,852		
	10	CIP	1,124	3	37,475		
	12	DIP	1,307	3	62,719		
	MAFB	UNK	1,836	7	6,556		
7F2	4	CIP	77	1	1,235	73,341	131
	6	CIP	868	2	15,622		
	8	ACP	1,059	6	11,293		
	8	CIP	1,193	0	0		
	10	ACP	362	0	0		
	10	CIP	4,519	10	45,191		
	MAFB	UNK	746	0	0		
7F3	4	DIP	51	0	0	553,047	191
	8	ACP	572	0	0		
	8	DIP	180	0	0		
	10	ACP	23	0	0		
	12	ACP	3,101	1	446,600		
	12	CIP	386	2	27,813		
	12	DIP	186	0	0		
	12	MLS	791	0	0		
	12	PVC	926	2	66,706		
	MAFB	UNK	3,817	8	11,928		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
7F4	2	GALV	512	0	0	174,201	164
	4	CIP	500	0	0		
	4	DIP	222	0	0		
	4	GALV	147	0	0		
	6	ACP	237	1	8,515		
	6	UNK	407	0	0		
	8	ACP	1,368	1	87,567		
	8	CIP	451	2	14,429		
	8	DIP	240	0	0		
	10	ACP	1,445	3	48,182		
	12	CIP	972	0	0		
	12	DIP	328	0	0		
	12	MLS	148	0	0		
7G1	MAFB	UNK	1,861	3	15,507	82,218	136
	6	PVC	398	1	14,334		
7G2	MAFB	UNK	5,431	2	67,884	47,559	109
	8	ACP	3,133	7	28,646		
	8	DIP	620	0	0		
7G3	MAFB	UNK	1,513	2	18,913	215,951	176
	8	ACP	1,678	1	107,400		
	8	DIP	26	0	0		
	10	ACP	2,175	0	0		
	12	ACP	1,259	3	60,452		
	12	CIP	1,465	6	35,149		
	16	ACP	141	0	0		
7G4	MAFB	UNK	2,072	4	12,950	153,172	157
	8	DIP	306	1	19,604		
	10	ACP	5,373	15	35,822		
	10	DIP	7	0	0		
	12	ACP	277	1	39,857		
	12	CCP	804	2	57,890		
	12	CIP	50	0	0		
	12	DIP	334	0	0		
7G5	MAFB	UNK	1,899	0	0	107,580	150
	2	GALV	124	0	0		
	8	ACP	3,111	5	39,823		
	10	ACP	531	1	53,135		
9	MAFB	UNK	2,924	5	14,622	11,120	33
	4	ACP	254	8	508		
	6	ACP	8,117	176	1,660		
	8	ACP	3,399	50	4,351		
10	8	DIP	144	2	4,601	13,100	37
	4	MLS	276	6	735		
	6	ACP	250	0	0		
	6	MLS	5,854	106	1,988		
	8	MLS	3,709	75	3,165		
	10	MLS	3,822	53	7,212		
11	12	ACP	12	0	0	16,527	49
	6	ACP	2,620	39	2,418		
	8	MLS	63	1	4,015		
12A	10	MLS	505	5	10,094	105,273	148
	4	ACP	1,734	63	440		
	6	ACP	22,661	635	1,285		
	6	DIP	7	0	0		
	6	MLS	2,882	88	1,179		
	8	ACP	7,970	135	3,778		
	8	DIP	92	0	0		
	8	MLS	1,749	19	5,893		
	10	ACP	2,556	45	5,679		
	10	MLS	2,663	40	6,657		
	12	ACP	333	1	47,902		
	12	MLS	417	7	8,579		
	12	PVC	175	0	0		
	14	ACP	1,327	19	13,686		
14	MLS	3,849	74	10,196			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
12B	4	ACP	135	4	542	146,848	156
	6	ACP	16,696	499	1,205		
	8	ACP	8,790	178	3,160		
	8	DIP	387	0	0		
	10	ACP	6,666	82	8,129		
	10	MLS	152	1	15,183		
	12	ACP	1,834	50	5,283		
	12	CIP	37	0	0		
	12	DIP	1,343	2	96,703		
	14	ACP	3,821	45	16,643		
14	CIP	165	0	0			
13A	6	ACP	2,255	75	1,082	188,888	166
	6	DIP	216	3	2,589		
	6	MLS	4,397	36	4,397		
	6	PVC	17	0	0		
	8	ACP	2,651	31	5,474		
	8	DIP	684	3	14,587		
	8	MLS	1,683	4	26,933		
	8	PVC	2,026	23	5,637		
	10	MLS	37	0	0		
	12	ACP	293	0	0		
	12	DIP	1,246	4	44,843		
	12	MLS	9,858	53	26,783		
	12	PVC	8,483	56	21,812		
	14	DIP	409	0	0		
14	MLS	3,901	22	34,750			
13B	6	ACP	2,678	96	1,004	161,888	161
	6	MLS	1,797	5	12,936		
	6	PVC	1,017	38	963		
	8	ACP	12,238	255	3,072		
	8	CIP	315	0	0		
	8	DIP	281	3	6,001		
	8	PVC	4,036	86	3,004		
	10	MLS	1,014	5	20,275		
	12	ACP	3,816	57	9,640		
	12	DIP	905	5	26,066		
	12	MLS	1,632	8	29,372		
	12	PVC	2,660	20	19,148		
	14	ACP	2,482	16	30,408		
	14	CIP	201	0	0		
14	4	ACP	56	0	0	15,554	46
	6	ACP	42	2	751		
	8	ACP	2,572	37	4,449		
	8	DIP	56	0	0		
	8	PVC	9,713	178	3,492		
	12	PVC	2,287	48	6,861		
15	6	CIP	410	1	14,749	36,760	92
	6	PVC	124	0	0		
	8	PVC	4,099	76	3,451		
16	12	PVC	1,160	9	18,559	8,776	23
	4	ACP	1,558	24	1,039		
	6	ACP	3,832	62	2,225		
	6	DIP	6	0	0		
	8	ACP	88	0	0		
	8	DIP	1,292	15	5,512		
17A	8	PVC	48	0	0	85,778	137
	12	DIP	19	0	0		
	4	ACP	280	6	746		
	6	ACP	8,316	165	1,814		
	6	MLS	2,926	37	2,847		
	8	ACP	6,315	113	3,576		
	8	DIP	2,645	64	2,645		
	8	MLS	4,359	44	6,341		
	8	ODS	14	0	0		
	8	PVC	7,339	190	2,472		
	8	UNK	18	0	0		
	10	ACP	32	0	0		
	10	DIP	295	0	0		
	10	MLS	4,493	57	7,883		
12	ACP	1,414	5	40,716			
12	PVC	3,487	30	16,739			
14	MLS	15	0	0			



AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
17B	2	PVC	317	3	423	207,287	173
	4	ACP	367	13	452		
	4	DIP	198	4	791		
	4	PVC	51	0	0		
	6	ACP	516	9	2,065		
	6	MLS	2,568	14	6,603		
	6	PVC	144	1	5,200		
	8	ACP	6,392	147	2,783		
	8	CIP	651	0	0		
	8	MLS	73	0	0		
	8	PVC	4,169	66	4,043		
	8	UNK	3	0	0		
	10	ACP	603	0	0		
	10	MLS	3,953	32	12,352		
	12	ACP	3,548	23	22,213		
	12	CIP	71	1	10,203		
	12	DIP	1,539	2	110,843		
12	PVC	20,562	101	29,316			
18	4	ACP	317	8	633	460,502	190
	4	MLS	12	0	0		
	6	ACP	8,602	184	1,683		
	6	DIP	452	0	0		
	6	MLS	4,696	34	4,972		
	6	PVC	112	0	0		
	8	ACP	7,292	31	15,055		
	8	DIP	154	0	0		
	8	MLS	947	10	6,063		
	8	PVC	1,828	22	5,317		
	10	ACP	4,230	15	28,197		
	10	DIP	524	2	26,196		
	10	MLS	5,833	33	17,675		
	12	ACP	1,848	3	88,706		
12	DIP	1,271	1	183,045			
12	MLS	2,963	21	20,320			
12	PVC	12,615	29	62,640			
19	4	ACP	921	15	982	288,475	184
	5	UNK	2	0	0		
	6	ACP	12,727	242	1,893		
	6	DIP	21	0	0		
	6	MLS	2,868	14	7,374		
	6	PVC	33	1	1,198		
	8	ACP	7,797	43	11,604		
	8	DIP	1,606	2	51,386		
	8	MLS	1,538	5	19,683		
	8	PVC	4,336	56	4,955		
	10	ACP	930	2	46,517		
	10	MLS	6,934	65	10,668		
	12	DIP	1,540	3	73,934		
	12	PVC	6,880	17	58,279		
14	MLS	21	0	0			
20A	2	PVC	185	7	106	53,044	115
	4	ACP	7,975	167	764		
	4	DIP	16	5	50		
	6	ACP	15,214	265	2,067		
	6	DIP	297	7	1,528		
	6	PVC	200	7	1,029		
	8	ACP	7,190	64	7,190		
	8	DIP	393	6	4,195		
	8	PVC	88	0	0		
	10	ACP	1,310	9	14,551		
	12	DIP	322	0	0		
	12	PVC	449	3	21,564		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
20B	2	PVC	1,849	61	121	249,976	181
	3	PVC	64	5	80		
	2	COP	63	0	0		
	2	GALV	186	9	83		
	4	ACP	6,007	284	338		
	4	DIP	131	2	1,044		
	4	PVC	31	0	0		
	6	ACP	14,282	275	1,870		
	8	ACP	9,729	119	5,232		
	8	DIP	2,526	67	2,413		
	8	MLS	1,883	15	8,036		
	8	PVC	1,655	6	17,649		
	10	ACP	3,620	32	11,314		
	12	ACP	759	0	0		
	12	CIP	172	0	0		
21	2	COP	59	2	118	14,890	43
	2	PVC	235	6	157		
	4	ACP	1,349	24	899		
	6	ACP	2,879	37	2,801		
	8	ACP	963	8	7,705		
	8	DIP	1,855	37	3,209		
22	12	DIP	62	0	0	14,261	41
	2	PVC	80	1	322		
	4	ACP	740	8	1,480		
	6	ACP	2,231	32	2,510		
	8	ACP	933	6	9,949		
23	12	PVC	38	0	0	33,132	87
	2	ACP	360	0	0		
	2	COP	86	3	114		
	2	GALV	401	10	160		
	2	PVC	527	17	124		
	4	ACP	10,103	146	1,107		
	6	ACP	42,772	782	1,969		
	8	ACP	11,209	202	3,551		
	8	DIP	1,941	10	12,423		
24A	8	PVC	428	2	13,683	253,861	182
	10	ACP	2	0	0		
	12	DIP	124	0	0		
	12	PVC	278	0	0		
	6	ACP	3,844	57	2,428		
	6	DIP	228	0	0		
	6	MLS	6,903	66	3,765		
	8	ACP	9,702	36	17,248		
	8	CIP	511	0	0		
	8	DIP	1,874	2	59,965		
	8	PVC	3,673	27	8,707		
	10	ACP	11,644	47	24,774		
24B	10	CIP	78	0	0	138,798	154
	10	DIP	64	0	0		
	10	MLS	3,051	23	13,264		
	12	DIP	466	3	22,392		
	12	PVC	5,629	8	101,318		
	4	ACP	1,226	23	853		
	4	MLS	179	0	0		
	6	ACP	15,534	284	1,969		
	6	MLS	5,551	61	3,276		
	8	ACP	5,485	86	4,082		
	8	DIP	73	0	0		
	8	PVC	1,854	3	39,556		
10	ACP	2,043	50	4,086			
10	MLS	6,173	80	7,716			
12	ACP	4,371	14	44,959			
12	CIP	60	0	0			
12	DIP	229	0	0			
12	PVC	10,094	45	32,301			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
25	2	GALV	89	0	0	56,669	118
	4	ACP	1,449	37	627		
	6	ACP	4,264	49	3,133		
	8	ACP	152	2	4,850		
	8	PVC	26	0	0		
	10	MLS	203	1	20,289		
26A	12	PVC	1,157	6	27,772	183,539	165
	4	ACP	788	16	788		
	6	ACP	3,576	60	2,146		
	6	DIP	176	5	1,269		
	6	MLS	9,355	99	3,402		
	8	ACP	858	3	18,311		
	8	DIP	3,671	29	8,102		
	8	MLS	450	4	7,201		
	8	PVC	860	12	4,589		
	10	ACP	722	0	0		
	10	DIP	10	1	1,048		
	10	MLS	3,066	43	7,131		
	12	ACP	383	1	55,141		
	12	DIP	1,034	5	29,771		
12	MLS	1,512	15	14,517			
26B	12	PVC	3,138	15	30,122	129,585	152
	2	GALV	100	1	400		
	4	ACP	1,536	32	768		
	4	MLS	6	0	0		
	6	ACP	11,538	227	1,830		
	6	DIP	68	1	2,452		
	6	MLS	7,878	98	2,894		
	6	PVC	157	6	940		
	8	ACP	3,405	55	3,962		
	8	DIP	758	7	6,928		
	8	MLS	4,076	47	5,551		
	8	PVC	1,499	26	3,691		
	10	ACP	395	5	7,892		
	12	ACP	1,278	11	16,734		
12	DIP	1,249	9	19,986			
12	MLS	3,376	22	22,099			
12	PVC	4,182	18	33,459			
27	4	ACP	321	1	5,133	202,469	172
	6	ACP	5,064	137	1,331		
	6	DIP	73	1	2,625		
	6	MLS	4,711	52	3,261		
	8	ACP	1,816	25	4,650		
	8	DIP	1,686	11	9,812		
	8	MLS	2,942	26	7,243		
	8	PVC	1,890	31	3,902		
	10	ACP	1,179	28	4,210		
	10	MLS	1,871	4	46,769		
	12	ACP	323	1	46,506		
	12	DIP	3,081	18	24,652		
	12	MLS	5,393	30	25,887		
28	12	PVC	1,718	15	16,489	216,791	178
	4	ACP	146	2	1,170		
	4	PVC	21	0	0		
	6	ACP	19,032	374	1,832		
	6	MLS	1,051	19	1,991		
	8	ACP	8,324	138	3,860		
	8	DIP	140	1	8,930		
	8	MLS	9,922	91	6,978		
	8	PVC	3,018	44	4,389		
	10	ACP	180	1	18,034		
	10	MLS	2,302	15	15,347		
	12	ACP	308	0	0		
	12	DIP	115	1	16,491		
	12	MLS	1,436	2	103,376		
12	PVC	6,210	26	34,392			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
29	2	ACP	71	2	141	200,569	171
	4	ACP	1,120	26	689		
	6	ACP	11,639	173	2,422		
	6	DIP	616	12	1,848		
	6	MLS	1,208	23	1,891		
	8	ACP	17,126	139	7,885		
	8	DIP	1,852	23	5,154		
	8	MLS	1,228	16	4,911		
	10	CIP	105	0	0		
	10	MLS	8,417	59	14,266		
	12	ACP	816	1	117,454		
	12	DIP	3,306	24	19,833		
12	PVC	2,508	15	24,074			
30	6	ACP	3,022	49	2,220	2,220	4
	8	PVC	196	0	0		
31A	2	COP	159	4	159	19,047	57
	4	ACP	2,438	46	848		
	6	ACP	16,404	235	2,513		
	8	ACP	4,015	60	4,283		
	8	DIP	2,089	19	7,035		
	8	PVC	526	8	4,209		
	10	ACP	114	0	0		
12	PVC	981	0	0			
31B	2	ABS	250	4	250	8,064	21
	4	ACP	96	2	771		
	6	ACP	297	6	1,779		
	8	ACP	493	6	5,263		
32	2	GALV	69	2	138	21,859	66
	2	PVC	308	5	246		
	4	ACP	1,242	21	946		
	6	ACP	6,686	120	2,006		
	6	PVC	7	0	0		
	8	ACP	1,052	9	7,480		
	10	ACP	994	9	11,042		
12	ACP	170	0	0			
33	2	GALV	75	1	299	70,649	128
	2	PVC	155	5	124		
	4	ACP	813	12	1,084		
	6	ACP	9,359	151	2,231		
	8	ACP	4,770	61	5,005		
	12	DIP	2,579	6	61,907		
34	4	ACP	1,145	20	916	45,239	106
	6	ACP	2,558	38	2,423		
	8	ACP	811	5	10,387		
	10	MLS	1,260	4	31,512		
	12	ACP	31	0	0		
35	4	ACP	211	4	843	47,331	108
	6	ACP	15,092	271	2,005		
	6	MLS	6,545	76	3,100		
	8	ACP	937	11	5,450		
	8	DIP	422	5	5,398		
	8	MLS	6,163	68	5,801		
	8	PVC	260	3	5,538		
	10	ACP	4	0	0		
	10	MLS	2,879	15	19,195		
36	4	ACP	232	8	465	209,820	174
	4	DIP	62	0	0		
	6	ACP	13,338	286	1,679		
	6	MLS	10,448	63	5,970		
	8	ACP	3,038	43	4,521		
	8	DIP	2,513	26	6,186		
	8	MLS	6,455	57	7,248		
	8	PVC	3,224	76	2,715		
	10	ACP	699	1	69,912		
	12	ACP	1,423	3	68,286		
	12	DIP	255	0	0		
	12	PVC	4,165	14	42,838		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
37	4	ACP	28	0	0	2,238	5
	6	ACP	1,989	32	2,238		
	6	MLS	866	0	0		
	8	MLS	455	0	0		
	12	DIP	15	0	0		
38A	2	GALV	75	0	0	92,489	142
	3	UNK	61	2	275		
	4	ACP	130	4	519		
	6	ACP	18,379	254	2,605		
	6	CIP	301	2	5,411		
	6	DIP	32	0	0		
	6	UNK	61	1	2,181		
	6	MLS	1,246	11	4,079		
	6	PVC	50	0	0		
	8	ACP	7,857	117	4,298		
	8	CIP	90	0	0		
	8	DIP	151	0	0		
	8	UNK	26	0	0		
	8	MLS	1,009	17	3,797		
	8	PVC	1,148	16	4,593		
	10	ACP	2,191	17	12,886		
	10	UNK	36	0	0		
	12	ACP	1,525	19	11,561		
12	DIP	424	6	10,167			
12	PVC	837	4	30,117			
38B	2	GALV	139	2	279	63,135	124
	4	ACP	721	13	887		
	6	ACP	17,111	357	1,725		
	6	CIP	4	0	0		
	6	DIP	823	14	2,117		
	6	MLS	5,474	55	3,583		
	8	ACP	5,071	91	3,567		
	8	DIP	769	7	7,030		
	8	MLS	1,870	32	3,739		
	8	PVC	848	20	2,714		
	10	ACP	1,702	30	5,675		
	10	MLS	3,129	32	9,779		
39	2	GALV	399	5	320	21,823	65
	4	ACP	1,458	18	1,296		
	6	ACP	5,867	77	2,743		
	6	CIP	688	4	6,189		
	6	PVC	346	3	4,151		
	8	ACP	2,846	37	4,923		
	8	DIP	103	3	2,201		
	8	PVC	3	0	0		
40A	10	UNK	30	0	0	71,150	130
	12	MLS	52	0	0		
	4	ACP	600	16	600		
	6	ACP	5,778	96	2,167		
	6	DIP	126	2	2,260		
	6	PVC	38	1	1,379		
	8	ACP	6,789	85	5,112		
	8	DIP	3,261	62	3,367		
	8	MLS	1,516	20	4,852		
	8	PVC	581	0	0		
	10	MLS	1,177	20	5,884		
40B	12	ACP	178	0	0	231,456	179
	12	PVC	10,750	34	45,529		
	4	ACP	2,306	101	365		
	6	ACP	9,014	248	1,308		
	6	DIP	167	8	750		
	6	MLS	4,110	23	6,432		
	8	ACP	1,849	29	4,082		
	8	DIP	2,350	41	3,668		
	8	MLS	3,639	15	15,529		
	8	PVC	42	0	0		
	10	ACP	568	33	1,721		
	12	ACP	2,080	41	7,306		
12	DIP	338	1	48,699			
12	PVC	4,917	5	141,596			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
41	2	ACP	334	8	167	19,921	60
	4	ACP	1,454	20	1,163		
	6	ACP	11,923	159	2,700		
	6	PVC	6	0	0		
	8	ACP	3,481	69	3,229		
	8	DIP	20	0	0		
	8	MLS	198	1	12,663		
	12	PVC	32	0	0		
42A	4	ACP	548	0	0	49,553	110
	4	ODS	16	0	0		
	6	ACP	1,829	25	2,634		
	8	DIP	104	0	0		
	10	UNK	22	0	0		
	12	DIP	1,303	4	46,919		
42B	2	GALV	292	7	94	42,815	101
	2	COP	245	4	245		
	2	GALV	1,400	16	350		
	2	PET	130	1	522		
	4	ACP	1,396	22	1,015		
	4	ODS	436	5	1,394		
	4	PVC	379	4	1,515		
	6	ACP	8,398	143	2,114		
	6	DIP	231	5	1,666		
	6	ODS	181	0	0		
	6	PVC	942	6	5,650		
	8	ACP	86	1	5,535		
	8	DIP	679	10	4,346		
	8	PVC	179	2	5,734		
12	DIP	965	11	12,635			
42C	2	GALV	255	1	1,021	19,355	58
	4	ACP	1,298	19	1,093		
	6	ACP	4,505	70	2,317		
	6	DIP	56	0	0		
	6	UNK	37	0	0		
	8	ACP	1,780	16	7,120		
	8	DIP	1,199	23	3,338		
	8	PVC	1,256	18	4,466		
42D	2	GALV	75	3	100	6,239	14
	4	ACP	2,428	47	827		
	4	UNK	45	0	0		
	6	ACP	5,588	84	2,395		
	6	UNK	23	0	0		
	8	ACP	3,419	75	2,918		
	8	DIP	8	0	0		
42E	2	GALV	365	7	209	10,431	30
	4	ACP	6,182	92	1,075		
	6	ACP	8,814	219	1,449		
	8	ACP	5,293	44	7,698		
42F	4	ACP	7	0	0	374,840	187
	6	ACP	169	0	0		
	8	ACP	3,771	17	14,197		
	8	DIP	316	1	20,216		
	8	UNK	60	0	0		
	8	PVC	184	0	0		
	10	ACP	1,694	4	42,360		
	10	DIP	71	0	0		
	10	UNK	118	0	0		
	12	ACP	1,527	1	219,956		
12	DIP	2,170	4	78,112			
42G	4	ACP	1	0	0	5,353	12
	6	ACP	1,478	17	3,130		
	8	DIP	1,250	36	2,223		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
43A	2	GALV	185	2	370	22,776	68
	4	ACP	2,595	49	847		
	4	UNK	12	0	0		
	6	ACP	4,572	67	2,457		
	6	DIP	22	0	0		
	8	ACP	2,666	27	6,319		
	8	DIP	30	0	0		
	8	PVC	1,398	7	12,783		
	10	PVC	15	0	0		
	12	DIP	8	0	0		
43B	8	DIP	105	2	3,369	3,369	7
43C	6	ACP	424	1	15,250	27,051	78
	6	DIP	81	0	0		
	8	ACP	230	2	7,365		
	8	DIP	762	11	4,435		
	12	PVC	8	0	0		
43D	4	ACP	238	2	1,904	19,007	55
	8	DIP	348	2	11,135		
	8	PVC	839	9	5,968		
	12	DIP	15	0	0		
44	2	GALV	55	1	218	199,158	169
	4	ACP	479	4	1,917		
	6	ACP	3,961	41	3,478		
	6	DIP	19	0	0		
	6	PVC	14	0	0		
	8	ACP	5,265	30	11,231		
	8	DIP	2,603	27	6,171		
	8	ODS	96	0	0		
	8	PVC	2,842	31	5,868		
	10	ACP	313	0	0		
	10	PVC	265	0	0		
	12	ACP	1,073	3	51,508		
	12	DIP	2,903	8	52,256		
45A	4	ODS	1	0	0	161,296	160
	6	ACP	216	0	0		
	6	DIP	400	12	1,199		
	6	ODS	336	1	12,100		
	6	PVC	336	0	0		
	8	ACP	1,314	2	42,037		
	8	DIP	13,844	244	3,631		
	8	PVC	4,387	4	70,184		
	8	UNK	18	0	0		
	10	ACP	8	0	0		
	12	ACP	9	0	0		
	12	DIP	17,055	180	13,644		
	12	PVC	4,625	36	18,501		
45B	2	GALV	226	6	151	94,315	145
	4	ACP	1,807	24	1,205		
	4	DIP	34	0	0		
	4	UNK	23	0	0		
	6	ACP	2,913	43	2,438		
	6	PVC	104	1	3,737		
	8	ACP	1,279	18	4,547		
	8	DIP	526	12	2,806		
	8	ODS	42	0	0		
	8	PVC	933	1	59,732		
	12	DIP	684	5	19,700		
	12	PVC	22	0	0		
	46	4	ODS	645	7		
6		ACP	9	0	0		
6		ODS	1,108	10	3,988		
6		PVC	67	1	2,426		
8		DIP	67	1	4,261		
8		ODS	626	6	6,673		
8		PVC	9,340	192	3,113		
12		DIP	37	0	0		
47	6	PVC	1,488	45	1,191	1,191	2
	8	DIP	25	0	0		
	8	PVC	123	0	0		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
48	2	GALV	308	5	247	88,298	140
	4	ACP	1,591	28	909		
	4	ODS	5,607	90	997		
	4	PVC	45	0	0		
	6	ACP	2,806	26	3,886		
	6	ODS	9,035	139	2,340		
	8	ACP	1,313	2	42,022		
	8	ODS	329	0	0		
	8	PVC	759	2	24,297		
	12	DIP	378	4	13,601		
49	12	PVC	22	0	0	55,406	116
	6	ODS	20	0	0		
	8	DIP	12	0	0		
	8	ODS	132	0	0		
	8	PVC	2,472	69	2,293		
51	12	PVC	369	1	53,114	29,063	80
	6	ACP	725	8	3,263		
	6	DIP	682	19	1,293		
	6	ODS	20	0	0		
	6	PVC	27	0	0		
	8	ACP	58	0	0		
	8	DIP	16,995	380	2,862		
	8	PVC	2,562	18	9,108		
	12	DIP	12,189	140	12,537		
52A	12	PVC	33	0	0	37,868	93
	2	GALV	1	0	0		
	4	ACP	573	10	917		
	6	ACP	2,545	38	2,411		
	6	DIP	98	0	0		
	8	ACP	3,269	30	6,974		
	8	DIP	2,701	57	3,033		
	10	ACP	47	0	0		
52B	10	DIP	109	0	0	18,832	54
	6	DIP	207	4	1,860		
	8	DIP	4,372	98	2,855		
53	12	DIP	6,372	65	14,117	93,547	144
	2	GALV	252	6	168		
	4	ACP	2,274	46	791		
	4	UNK	15	0	0		
	6	ACP	22,640	302	2,699		
	6	ODS	14	0	0		
	8	ACP	1,837	13	9,045		
	8	DIP	256	0	0		
	8	PVC	2,539	5	32,503		
	10	ACP	113	2	5,664		
54	12	DIP	1,482	5	42,677	67,769	127
	2	ACP	331	3	441		
	4	ACP	2,335	33	1,132		
	6	ACP	6,103	82	2,680		
	8	PVC	992	1	63,516		
55	12	DIP	558	0	0	379,788	188
	2	GALV	50	1	199		
	4	ACP	1,539	25	985		
	4	PVC	78	4	314		
	6	ACP	21,943	364	2,170		
	6	DIP	184	4	1,660		
	6	UNK	23	1	823		
	6	MLS	1,507	9	6,029		
	8	ACP	4,770	55	5,550		
	8	DIP	232	6	2,473		
	8	UNK	5	0	0		
	8	MLS	1,488	11	8,657		
	8	PVC	1,712	2	54,769		
	10	ACP	167	0	0		
	10	UNK	12	0	0		
	12	ACP	1,313	9	21,013		
12	DIP	1,485	1	213,792			
12	PVC	426	1	61,355			



AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
56A	1	GALV	198	4	77	29,523	84
	2	COP	103	2	207		
	2	GALV	1,878	39	193		
	4	ACP	3,469	53	1,047		
	4	UNK	46	1	732		
	4	ODS	1,575	31	813		
	6	ACP	9,673	112	3,109		
	6	ODS	12,032	216	2,005		
	8	ACP	958	4	15,321		
	8	DIP	29	0	0		
	8	ODS	2,163	23	6,018		
	10	PVC	45	0	0		
12	DIP	99	0	0			
12	PVC	5	0	0			
56B	2	GALV	132	0	0	50,795	112
	4	ACP	1,492	27	884		
	6	ACP	2,259	40	2,033		
	6	ODS	1,020	3	12,240		
	6	PVC	599	6	3,592		
8	PVC	501	1	32,046			
57	2	COP	142	2	284	156,671	158
	2	GALV	520	8	260		
	3	UNK	36	1	322		
	4	ACP	4,098	40	1,639		
	4	UNK	46	0	0		
	6	ACP	19,782	243	2,931		
	6	DIP	129	0	0		
	6	UNK	23	0	0		
	6	MLS	1,348	7	6,932		
	6	ODS	206	1	7,406		
	6	PVC	434	3	5,210		
	8	ACP	5,989	61	6,284		
	8	DIP	1,788	35	3,269		
	8	MLS	1,944	7	17,771		
	8	PVC	4,138	24	11,034		
8	UNK	5	0	0			
10	UNK	21	0	0			
12	DIP	529	2	38,104			
12	PVC	3,068	8	55,226			
58A	2	GALV	109	1	435	20,675	64
	4	ACP	119	1	1,900		
	6	ACP	336	0	0		
	6	PVC	328	8	1,476		
	8	DIP	9,832	224	2,809		
	12	DIP	2,831	29	14,055		
12	PVC	515	0	0			
58B	4	ACP	151	0	0	13,138	39
	6	ACP	146	0	0		
	8	ACP	114	0	0		
	8	DIP	2,373	69	2,201		
12	DIP	1,215	16	10,936			
58C	6	ACP	21	0	0	9,270	26
	12	DIP	901	14	9,270		
59	8	ACP	98	1	6,302	40,453	98
	8	DIP	4,341	84	3,307		
	8	PVC	998	11	5,808		
	12	DIP	1,912	11	25,036		
60	8	DIP	228	2	7,301	35,562	90
	12	DIP	196	1	28,261		
60A	8	ACP	139	1	8,877	20,080	62
	8	DIP	8,999	157	3,668		
	12	DIP	1,883	36	7,534		
60B	8	DIP	2,477	38	4,171	38,839	95
	8	ODS	33	0	0		
	8	PVC	2	0	0		
	10	UNK	17	0	0		
	10	PVC	1,429	6	23,821		
12	DIP	2,109	28	10,846			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
61	4	DIP	2	0	0	13,935	40
	6	DIP	10	0	0		
	8	ACP	31	0	0		
	8	DIP	2,804	58	3,094		
	8	PVC	131	0	0		
	12	DIP	2,710	36	10,841		
62	8	DIP	4,890	73	4,287	15,301	44
	12	DIP	229	3	11,013		
63	6	ACP	18	0	0	77,401	134
	6	UNK	46	0	0		
	6	ODS	65	0	0		
	6	PVC	3,310	65	1,833		
	8	ACP	335	0	0		
	8	DIP	315	1	20,187		
	8	UNK	3	0	0		
	8	PVC	24,464	366	4,278		
	10	UNK	23	1	2,331		
	10	PVC	28	0	0		
	12	DIP	242	1	34,910		
	12	PVC	3,947	41	13,861		
64	8	DIP	2,710	57	3,043	8,171	22
	12	DIP	641	18	5,128		
65	6	ACP	151	0	0	43,786	103
	6	DIP	24	0	0		
	6	ODS	118	0	0		
	8	ACP	823	3	17,552		
	8	DIP	7,069	106	4,268		
	8	ODS	407	6	4,341		
	8	PVC	34	0	0		
	12	DIP	4,651	38	17,626		
66A	6	ACP	285	1	10,248	95,166	147
	6	DIP	52	0	0		
	6	ODS	21	0	0		
	6	PVC	45	0	0		
	8	DIP	2,397	10	15,341		
	8	ODS	84	0	0		
	8	PVC	1,918	3	40,927		
	8	UNK	62	0	0		
	10	PVC	117	0	0		
	12	DIP	1,393	7	28,651		
66B	4	ACP	188	4	754	29,167	81
	5	UNK	136	10	339		
	6	ACP	1,895	13	5,248		
	6	DIP	19	0	0		
	6	PVC	1,160	13	3,213		
	8	ACP	1,737	8	13,899		
	8	DIP	11	0	0		
	8	UNK	52	0	0		
66C	6	ACP	1,870	37	1,820	51,407	113
	6	DIP	120	1	4,329		
	6	PVC	2	0	0		
	8	DIP	129	0	0		
	8	PVC	458	2	14,645		
	12	DIP	213	1	30,614		
66D	6	ACP	413	3	4,962	58,450	121
	6	ODS	436	1	15,698		
	8	ACP	725	2	23,190		
	10	PVC	24	0	0		
	12	DIP	507	5	14,600		
66E	3	UNK	4	0	0	60,159	122
	6	ACP	4,538	35	4,668		
	6	DIP	43	0	0		
	6	UNK	20	0	0		
	6	PVC	20	0	0		
	8	ACP	3	0	0		
	8	DIP	38	0	0		
66F	12	DIP	2,697	7	55,491	42,982	102
	12	DIP	597	2	42,982		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
67	3	UNK	103	2	464	40,206	97
	4	UNK	31	1	501		
	8	ACP	445	1	28,490		
	8	DIP	728	17	2,742		
	12	DIP	501	9	8,010		
68	6	DIP	10	0	0	4,306	9
	8	DIP	11	0	0		
	8	ODS	3	0	0		
	8	PVC	875	13	4,306		
69	6	ACP	12	0	0	33,327	88
	8	DIP	4,126	70	3,772		
	12	DIP	821	4	29,555		
70	4	ODS	53	0	0	35,896	91
	6	ACP	1,399	25	2,014		
	6	DIP	16	0	0		
	8	ACP	161	1	10,283		
	8	DIP	17,761	315	3,609		
	8	ODS	199	0	0		
71	12	DIP	11,383	82	19,991	60,865	123
	4	ACP	28	0	0		
	6	ACP	126	1	4,539		
	6	DIP	9	0	0		
	6	ODS	43	0	0		
	6	PVC	37	0	0		
	8	ACP	1,016	10	6,502		
	8	DIP	13,221	185	4,574		
	8	PVC	3,395	40	5,433		
	10	ACP	178	1	17,823		
	10	DIP	27	0	0		
	10	PVC	33	0	0		
	12	ACP	231	0	0		
12	DIP	7,484	49	21,994			
12	PVC	5	0	0			
72	4	ACP	3,514	64	878	10,094	29
	6	ACP	3,902	53	2,650		
	8	ACP	1,846	18	6,565		
	8	DIP	3	0	0		
	8	PVC	118	0	0		
	10	UNK	7	0	0		
	12	ACP	4	0	0		
74	12	PVC	5	0	0	12,944	36
	4	ACP	3,498	53	1,056		
	4	UNK	20	0	0		
	6	ACP	6,263	72	3,131		
	6	UNK	3	0	0		
	6	PVC	10	0	0		
	8	ACP	547	4	8,757		
	8	DIP	3	0	0		
76A	8	PVC	1,306	0	0	43,984	104
	12	MLS	5	0	0		
	12	PVC	139	0	0		
	4	ACP	8	0	0		
	6	ACP	514	0	0		
	6	DIP	7	0	0		
76B	8	ACP	1,957	4	31,311	25,200	73
	8	DIP	4,121	119	2,216		
	8	PVC	534	0	0		
	12	DIP	2,251	31	10,457		
	6	ACP	5	0	0		
76C	8	DIP	2,811	95	1,894	19,010	56
	12	DIP	2,590	16	23,306		
	6	ACP	278	6	1,666		
	6	UNK	22	0	0		
	8	ACP	1,655	31	3,416		
	8	DIP	332	9	2,361		
76C	8	PVC	449	0	0	19,010	56
	10	PVC	347	3	11,566		
	8	PVC	449	0	0		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
76D	2	GALV	235	7	134	26,066	75
	4	ACP	841	11	1,223		
	4	ODS	1,037	27	614		
	6	ACP	779	10	2,805		
	6	ODS	3,587	66	1,956		
	6	PVC	83	0	0		
	8	ACP	660	7	6,036		
	8	ODS	910	0	0		
	8	PVC	1,454	7	13,296		
	10	PVC	24	0	0		
76F	12	DIP	97	0	0	26,113	76
	6	ACP	1,864	26	2,580		
	6	DIP	4	0	0		
	6	ODS	808	12	2,425		
	8	ACP	1,178	7	10,766		
	8	DIP	33	0	0		
76G	8	PVC	32	0	0	12,359	34
	12	DIP	72	1	10,342		
	6	ACP	211	3	2,532		
	6	DIP	30	0	0		
	8	ACP	0	0	0		
76H	8	DIP	11	0	0	23,952	70
	12	DIP	1,843	27	9,828		
	6	ACP	2,288	12	6,864		
	6	UNK	92	0	0		
	8	ACP	534	2	17,088		
76I	8	ACP	54	0	0	17,449	52
	4	ACP	4	1	58		
	4	PVC	591	5	1,892		
	6	ACP	1,005	23	1,573		
	6	ODS	436	6	2,613		
	8	DIP	128	4	2,054		
	8	UNK	6	0	0		
	8	ODS	549	6	5,851		
	8	PVC	586	11	3,408		
	10	UNK	4	0	0		
	10	ODS	290	0	0		
	10	PVC	64	0	0		
76J	12	DIP	226	0	0	106,613	149
	6	UNK	1	0	0		
	8	ACP	453	2	14,509		
	8	DIP	43	0	0		
76K	12	DIP	640	1	92,104	16,601	50
	4	ACP	14	1	219		
	6	ACP	346	5	2,493		
	6	UNK	1	0	0		
	6	PVC	2	0	0		
	8	ACP	42	0	0		
	8	PVC	49	0	0		
77	12	DIP	772	8	13,888	6,177	13
	4	ACP	933	30	498		
	6	ACP	633	9	2,533		
	8	ACP	492	10	3,147		
78	10	PVC	3	0	0	108,416	151
	2	GALV	468	12	156		
	3	UNK	99	3	298		
	4	ACP	549	7	1,254		
	4	ODS	419	2	3,352		
	6	ACP	1,099	13	3,044		
	6	DIP	294	3	3,528		
	6	UNK	23	0	0		
	6	ODS	7,191	134	1,932		
	8	ACP	431	2	13,803		
	8	DIP	311	6	3,320		
	8	UNK	10	0	0		
	8	ODS	3,141	70	2,872		
	8	PVC	1,036	2	33,144		
10	ODS	227	3	7,559			
12	DIP	1,423	6	34,155			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
79	6	ACP	98	1	3,523	20,143	63
	6	ODS	229	2	4,121		
	8	DIP	4,678	116	2,581		
	8	ODS	551	10	3,525		
	8	PVC	1,898	19	6,392		
	10	UNK	42	0	0		
80	10	PVC	5	0	0	74,766	132
	2	GALV	414	10	166		
	4	ACP	839	12	1,118		
	4	ODS	4,932	123	642		
	6	ACP	2,380	33	2,596		
	6	DIP	108	0	0		
	6	ODS	8,686	148	2,113		
	6	PVC	267	5	1,922		
	8	ACP	2,882	21	8,784		
	8	DIP	1,974	42	3,008		
	8	ODS	4,111	31	8,487		
	8	PVC	1,832	13	9,018		
81	10	UNK	56	0	0	28,212	79
	12	DIP	1,538	6	36,912		
	2	GALV	4	0	0		
	4	ODS	740	7	1,692		
	6	ACP	4	0	0		
	6	DIP	28	0	0		
	6	ODS	1,871	9	7,482		
	8	DIP	8,271	178	2,974		
82	8	ODS	11	0	0	405,152	189
	10	ACP	1	0	0		
	12	DIP	2,900	26	16,063		
	3	UNK	29	2	129		
	4	ACP	67	1	1,073		
	4	UNK	6	0	0		
	6	ACP	2,672	21	4,580		
	8	ACP	8,393	32	16,786		
83	8	DIP	1,090	13	5,366	71,103	129
	10	ACP	1,303	6	21,718		
	10	UNK	10	0	0		
	12	DIP	2,469	1	355,499		
	6	ACP	1,788	45	1,431		
	6	DIP	453	8	2,038		
	6	UNK	6	0	0		
	6	PVC	84	1	3,018		
84	8	ACP	659	8	5,271	39,986	96
	8	DIP	3,721	53	4,493		
	8	PVC	1,274	21	3,883		
	12	DIP	5,251	25	30,245		
85	12	MLS	144	1	20,724	30,088	85
	8	ACP	100	1	6,429		
	8	DIP	2,012	29	4,441		
	8	PVC	150	1	9,601		
	12	DIP	2,710	20	19,514		
	2	GALV	758	18	169		
	4	ACP	921	11	1,340		
	4	UNK	29	0	0		
4	ODS	1,849	21	1,409			
85	6	ACP	2,295	29	2,849	30,088	85
	6	ODS	11,989	217	1,989		
	8	ACP	458	2	14,659		
	8	DIP	233	4	3,720		
	8	ODS	2,904	47	3,954		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
86A	2	COP	138	1	552	22,630	67
	2	GALV	218	5	174		
	4	DIP	10	0	0		
	6	ACP	12,373	166	2,683		
	6	UNK	23	0	0		
	8	ACP	12,826	95	8,641		
	8	DIP	1,615	18	5,742		
	8	UNK	1	1	95		
	8	PVC	277	0	0		
	10	ACP	332	7	4,743		
	10	DIP	30	0	0		
	12	DIP	3	0	0		
12	PVC	58	0	0			
86B	4	ACP	220	1	3,522	88,159	139
	6	ACP	8,484	165	1,851		
	6	DIP	74	0	0		
	8	ACP	14,685	147	6,394		
	10	ACP	2,404	5	48,073		
	12	DIP	787	4	28,318		
	12	PVC	77	0	0		
86C	2	COP	33	0	0	26,964	77
	2	GALV	124	2	248		
	4	ACP	455	8	910		
	4	DIP	12	0	0		
	6	ACP	12,214	120	3,664		
	6	DIP	26	0	0		
	6	UNK	7	0	0		
	6	ODS	28	0	0		
	6	PVC	429	13	1,188		
	8	ACP	7,761	70	7,096		
	8	DIP	1,476	14	6,747		
	8	PVC	4,336	96	2,890		
	10	ACP	107	0	0		
10	PVC	549	13	4,220			
12	DIP	1	0	0			
87A	8	ACP	449	2	14,376	14,376	42
87B	2	GALV	77	2	154	4,483	10
	4	ACP	3	0	0		
	4	ODS	128	0	0		
	8	ODS	1,624	24	4,330		
87C	4	ACP	768	7	1,756	12,733	35
	4	ODS	2	1	32		
	6	ACP	542	5	3,905		
	6	ODS	5,734	40	5,161		
	6	PVC	104	2	1,879		
87D	8	DIP	37	0	0	19,405	59
	2	GALV	25	1	99		
	6	ACP	1,548	12	4,645		
	6	ODS	295	3	3,535		
	8	PVC	444	6	4,736		
88	2	GALV	1,369	5	1,095	55,593	117
	4	ACP	3,375	34	1,588		
	4	ODS	2,942	35	1,345		
	6	ACP	2,587	23	4,049		
	6	DIP	32	0	0		
	6	UNK	9	0	0		
	6	ODS	17,338	149	4,189		
	6	PVC	59	0	0		
	8	ACP	1,129	7	10,323		
	8	DIP	451	6	4,808		
	8	ODS	4,164	40	6,663		
	8	PVC	21	0	0		
	10	UNK	2	0	0		
10	PVC	1,507	7	21,534			

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
89	4	ACP	3	0	0	29,465	83
	4	ODS	471	7	1,076		
	6	ACP	534	3	6,405		
	6	DIP	36	0	0		
	6	ODS	566	0	0		
	8	DIP	6,067	111	3,498		
	8	ODS	794	5	10,160		
90A	2	GALV	448	12	149	6,648	17
	4	ACP	6,684	142	753		
	6	ACP	15,661	246	2,292		
	8	ACP	3,292	61	3,454		
	8	UNK	115	0	0		
	8	PVC	4,306	0	0		
	10	UNK	34	0	0		
90B	2	GALV	82	2	165	4,079	8
	4	ACP	799	9	1,421		
	6	ACP	3,601	52	2,493		
90C	2	GALV	101	2	202	79,321	135
	4	ACP	945	18	840		
	4	ODS	3,964	103	616		
	6	ACP	3,007	45	2,406		
	6	ODS	3,857	63	2,204		
	8	UNK	30	0	0		
	8	ODS	4,266	81	3,371		
	8	PVC	2,111	2	67,552		
	12	DIP	15	1	2,130		
90D	2	GALV	175	0	0	8,883	24
	4	ACP	196	3	1,047		
	4	UNK	20	0	0		
	6	ACP	1,494	25	2,152		
	8	PVC	444	5	5,683		
91	2	GALV	181	3	241	158,066	159
	4	ACP	2,004	31	1,035		
	4	DIP	3	0	0		
	6	ACP	18,397	210	3,154		
	6	DIP	29	2	529		
	6	UNK	68	0	0		
	6	PVC	272	4	2,449		
	8	ACP	10,746	85	8,091		
	8	DIP	2,908	30	6,204		
	8	PVC	3,502	33	6,792		
	10	ACP	447	3	14,899		
	10	PVC	722	9	8,026		
	12	ACP	27	0	0		
12	DIP	1,530	3	73,446			
12	PVC	3,228	14	33,201			
92	6	ACP	512	9	2,048	2,048	3
93A	4	ACP	2,961	36	1,316	63,656	125
	6	ACP	12,679	183	2,494		
	6	UNK	23	0	0		
	8	ACP	17,611	168	6,709		
	8	UNK	2	0	0		
	8	PVC	1,331	23	3,704		
	10	ACP	310	3	10,331		
	10	PVC	424	0	0		
	12	ACP	1,827	13	20,239		
12	PVC	86	0	0			
	14	ACP	770	8	18,863		

AREA	PIPE SIZE	PIPE TYPE	LINEAR FEET	SERVICE CONNECTIONS	CAPACITY FACTOR	TOTAL CAPACITY	RANK
93B	4	ACP	1,780	33	863	18,394	53
	6	ACP	23,976	330	2,616		
	6	UNK	46	0	0		
	6	PVC	247	3	2,959		
	8	ACP	7,421	92	5,163		
	8	DIP	260	10	1,664		
	8	PVC	1,326	21	4,042		
	10	ACP	870	80	1,087		
93C	12	PVC	70	0	0	44,807	105
	2	GALV	38	0	0		
	4	ACP	1,734	34	816		
	4	UNK	24	1	386		
	4	PVC	134	4	535		
	6	ACP	13,564	206	2,370		
	6	DIP	468	6	2,809		
	6	UNK	38	0	0		
	6	PVC	405	7	2,084		
	8	ACP	9,977	84	7,602		
	8	DIP	30	3	642		
	8	PVC	2,542	29	5,610		
	10	ACP	1,833	18	10,186		
	10	UNK	3	0	0		
10	PVC	59	0	0			
12	ACP	5,639	69	11,768			
12	MLS	4	0	0			
93D	2	GALV	262	3	350	16,411	48
	4	ACP	1,950	56	557		
	4	DIP	7	4	28		
	4	PVC	45	0	0		
	6	ACP	20,192	322	2,257		
	8	ACP	9,756	151	4,135		
	8	DIP	192	0	0		
	10	ACP	220	0	0		
94	10	UNK	14	0	0	17,360	51
	12	PVC	2	0	0		
	8	ACP	654	6	6,976		
95	10	UNK	14	0	0	6,976	18
	12	PVC	0	0	0		
	8	ACP	1,388	22	9,083		
96	2	COP	33	0	0	17,360	51
	8	DIP	271	1	17,360		
	12	PVC	2	0	0		
	8	ACP	654	6	6,976		
	10	UNK	14	0	0		
96	12	PVC	0	0	0	6,453	16
	2	GALV	209	4	209		
	4	ODS	104	4	417		
	6	ACP	3,057	32	3,439		
	6	ODS	2,057	31	2,388		
8	ACP	18	0	0			