

TABLE OF CONTENTS

PARTICIPANTS.....	i
LIST OF FIGURES.....	VII
LIST OF TABLES.....	IX
LIST OF ACRONYMS.....	XI
EXECUTIVE SUMMARY	ES-1
Introduction.....	ES-1
Description of Existing Water System	ES-1
Water Requirements	ES-2
Water Supply.....	ES-6
Groundwater	ES-6
Surface Water.....	ES-7
Excess Capacity Evaluation	ES-8
Buildout Water Supply Alternatives –Meet District Needs.....	ES-8
Water Supply Alternatives-Export from District	ES-10
Drinking Water Quality	ES-11
Distribution System Evaluation.....	ES-12
Storage Capacity Evaluation	ES-13
Infrastructure Reliability Plan.....	ES-13
Standby Power Capability	ES-14
Surge Analysis	ES-14
McClellan Business Park Infrastructure Needs Technical Memorandum.....	ES-14
SCADA Analysis Technical Memorandum	ES-15
Recommendations	ES-15
Capital Needs Analysis	ES-17
1. INTRODUCTION.....	1-1
1.1 Plan Objectives.....	1-1
1.2 Approach	1-2
1.3 Report Organization.....	1-2
1.4 Relevant District Plans.....	1-2
2. DESCRIPTION OF EXISTING WATER SYSTEM	2-1
2.1 Description of Service Area	2-1
2.2 Water Supply Facilities	2-1
2.2.1 Groundwater Facilities	2-1
2.2.2 Surface Water Facilities.....	2-10
2.3 Distribution System.....	2-11
2.3.1 Pipelines	2-11

2.3.2 Storage Facilities2-14

2.3.3 Booster Pump Stations2-15

2.3.4 Interties2-16

3. WATER REQUIREMENTS3-1

3.1 Demographics.....3-1

3.1.1 Population, Employment, and Housing.....3-1

3.1.2 Land Use3-4

3.2 Historical Water Use3-7

3.2.1 Annual Water Production3-7

3.2.2 Historical Customer Connections.....3-9

3.2.3 Unaccounted-for Water.....3-9

3.3 Unit Water Use3-10

3.3.1 Water Use Efficiency.....3-10

3.3.2 Baseline and Projected Unit Water Use Factors.....3-10

3.4 Buildout Water Demands.....3-11

3.5 20 Percent by 2020 Goal3-12

3.6 Water Demand Peaking Factors.....3-14

3.7 Climate Change Considerations3-15

4. WATER SUPPLY4-1

4.1 Groundwater4-1

4.1.1 Groundwater Basin Description4-1

4.1.2 Groundwater Banking4-4

4.1.3 Overview of Basin Yield and District Pumping Targets.....4-4

4.1.4 Groundwater Contamination4-8

4.2 Surface Water4-17

4.2.1 Water Forum Agreement4-19

4.2.2 Placer County Water Agency Agreement4-19

4.2.3 City of Sacramento Agreement.....4-22

4.2.4 Section 215 USBR CVP Agreement4-26

4.2.5 Summary of Surface Water Supply Sources.....4-26

5. EXCESS CAPACITY EVALUATION5-1

6. BUILDOUT WATER SUPPLY ALTERNATIVES – MEET DISTRICT NEEDS6-1

6.1 Conjunctive Use Strategy – Meet District Needs6-1

6.2 Water Supply Alternatives – Meet District Needs6-4

6.2.1 Groundwater6-4

6.2.2 Existing Surface Water Supplies.....6-4

6.2.3 Sacramento River Water Reliability Study6-5

6.2.4 Worst Case Evaluation6-6

6.2.5 Conclusions and Recommendations6-7

7. WATER SUPPLY ALTERNATIVES-EXPORT FROM DISTRICT	7-1
7.1 Conjunctive Use Strategy-Export from District.....	7-1
7.2 Water Supply Alternatives – Export from District	7-3
8. DRINKING WATER QUALITY	8-1
8.1 Drinking Water Standards.....	8-1
8.1.1 Groundwater Rule.....	8-1
8.1.2 Radon	8-2
8.1.3 Total Dissolved Solids.....	8-2
8.1.4 Nitrate	8-3
8.1.5 Arsenic.....	8-3
8.1.6 Fluoridation	8-3
8.1.7 Iron and Manganese.....	8-3
8.1.8 Methane	8-3
8.1.9 Chromium	8-3
8.1.10 Tetrachloroethylene (PCE)	8-3
8.1.11 Methyl Tertiary-Butyl Ether (MTBE)	8-4
8.1.12 Disinfection Byproducts	8-4
8.2 Water Quality Characteristics	8-4
8.2.1 Surface Water	8-5
8.2.2 Groundwater	8-6
8.3 Conclusions	8-9
9. HYDRAULIC MODEL UPDATE	9-1
9.1 Diurnal Demand.....	9-1
9.2 Model Updates and Calibration.....	9-2
10. DISTRIBUTION SYSTEM EVALUATION	10-1
10.1 Evaluation Criteria	10-1
10.2 2035 Evaluation Demand Conditions and Supply Scenarios.....	10-2
10.3 System Performance	10-2
10.3.1 NSA System Performance	10-3
10.3.2 SSA System Performance	10-10
10.3.3 Fire Flow Capacity	10-16
10.4 2035 Reliable Capacity Performance	10-19
10.5 Pressure Zone Analysis.....	10-21
10.5.1 Pressure Zone Evaluation.....	10-21
10.5.2 Pressure Zone Analysis Observations and Recommendations	10-21
10.6 Island Area Distribution System Analysis	10-24
10.7 Corridor Planning Areas	10-24
11. STORAGE CAPACITY EVALUATION	11-1
11.1 Storage Criteria.....	11-1
11.2 System Evaluation	11-2

11.3 Conclusions and Recommendations 11-5

12. INFRASTRUCTURE RELIABILITY PLAN 12-1

13. STANDBY POWER CAPABILITY 13-1

 13.1 Planning Criteria 13-1

 13.2 Evaluation 13-1

 13.2.1 North Service Area Evaluation 13-3

 13.2.2 South Service Area Evaluation 13-7

 13.3 Recommendations 13-8

 13.4 Generator Fuel Source 13-9

 13.5 Impacts of Changes in Recent Air Emission Regulations 13-10

14. SURGE ANALYSIS 14-1

 14.1 Methodology 14-1

 14.2 Analysis Results 14-3

 14.3 Surge Protection and Pressure Relief Recommendations 14-4

15. SUMMARY OF RECOMMENDATIONS 15-1

16. CAPITAL NEEDS ANALYSIS 16-1

 16.1 Capital Needs 16-1

 16.2 Production (source of supply) Projects 16-1

 16.3 Storage Projects 16-2

 16.4 Distribution Projects 16-2

 16.5 Special Projects 16-3

 16.6 Potential Projects 16-3

REFERENCES REF-1

APPENDIX A: MCCLELLAN BUSINESS PARK INFRASTRUCTURE NEEDS TECHNICAL MEMORANDUM A

APPENDIX B: SCADA ANALYSIS TECHNICAL MEMORANDUM B

APPENDIX C: HISTORICAL SURFACE WATER AND GROUNDWATER USE BY SERVICE AREA C

APPENDIX D: CALIFORNIA AMERICAN WATER COMPANY WATER SUPPLY AGREEMENT D

APPENDIX E: RIO LINDA/ELVERTA COMMUNITY WATER DISTRICT WATER SUPPLY AGREEMENT E

APPENDIX F: GROUNDWATER PLUME LIST F

APPENDIX G: WELL IMPACT ANALYSIS G

APPENDIX H: DWSAPS FOR REPRESENTATIVE DISTRICT WELLS H

APPENDIX I: LIST OF POSSIBLE CONTAMINATING ACTIVITIES SCORED 15 AND 17 I

APPENDIX J: DISTRICT WATER FORUM AGREEMENT J

APPENDIX K: PCWA SUPPLY AGREEMENT K

APPENDIX L: WHOLESALE CITY OF SACRAMENTO AGREEMENT L



APPENDIX M: NOVEMBER 2006 CALSIMII LOWER AMERICAN RIVER HODGE MODELING DATA M

APPENDIX N: EXCESS CAPACITY EVALUATION N

APPENDIX O: WATER QUALITY REPORTS..... O

APPENDIX P: PUMP OPERATION CONTROL SETPOINTS P

APPENDIX Q: ISLAND AREA TECHNICAL MEMORANDUM Q

APPENDIX R: POINT VALUES BY GROUNDWATER WELL – RISK OF FAILURE R

APPENDIX S: GENERATOR COMPLIANCE PLAN..... S

APPENDIX T: CURRENT GENERATOR MODELING ANALYSIST

APPENDIX U: CAPITAL NEEDS ANALYSIS WELL AND METER REPLACEMENT CALCULATIONS U



LIST OF FIGURES

Figure ES-1. Water System Facilities (Fig. 2-4)	ES-3
Figure ES-2. Sacramento Suburban Water District Historical and Projected Population, Housing, and Employment	ES-4
Figure ES-3. Historical Surface and Groundwater Production and Projected Demand	ES-5
Figure ES-4. Surface Water Supply - with Demand Limitations	ES-8
Figure ES-5. Conjunctive Use Strategy to Meet the District Needs	ES-9
Figure ES-6. Conjunctive Use Strategy for Export from District	ES-10
Figure 1-1. Process Flowchart for Water Resources Management Plan	1-3
Figure 2-1. Sacramento Suburban Water District and Neighboring Utilities	2-2
Figure 2-2. District Service Areas	2-3
Figure 2-3. District Subareas	2-4
Figure 2-4. Water System Facilities	2-5
Figure 2-5. District Wells by Capacity	2-6
Figure 2-6. Hydraulic Schematic	2-12
Figure 2-7. District Interties	2-18
Figure 3-1. Traffic Analysis Zones within the District Service Areas	3-3
Figure 3-2. Sacramento Suburban Water District Historical and Projected Population, Housing, and Employment	3-4
Figure 3-3. Blueprint 2005 within Sacramento Suburban Water District	3-5
Figure 3-4. Blueprint 2035 within Sacramento Suburban Water District	3-6
Figure 3-5. Historical Surface and Groundwater Production and Projected Demand	3-8
Figure 3-6. California Hydrologic Regions (HR)	3-14
Figure 4-1. Hydrologic Section of the Regional Aquifer System	4-2
Figure 4-2. Groundwater Well Hydrographs	4-3
Figure 4-3. Regional Groundwater Plumes, Buffer Zones, Water Level Contours (2006), and Well Capacities	4-10
Figure 4-3. Regional Groundwater Plumes, Buffer Zones, Water Level Contours (2006), and Well Capacities	4-10
Figure 4-4. District Wells with Highest Ranked Possible Contaminating Activities	4-18
Figure 4-5. Available Supply Capacity from Peterson WTP and CTP	4-21
Figure 4-6. Wet Year NSA Supply and Demand	4-22
Figure 4-7. Available City of Sacramento Supply versus Water Forum Flow	4-25
Figure 4-8. Monthly Availability of City of Sacramento Supply	4-25
Figure 4-9. City of Sacramento Wet Year Supply vs. SSA Buildout Demand	4-26
Figure 4-10. Surface Water Supply – with Infrastructure Limitations	4-27
Figure 4-11. Surface Water Supply - with Demand Limitations	4-27
Figure 5-1. Comparison of Monthly Maximum Day and Peak Hour Demand to Reliable Well and Well Plus Booster Supply- North Service Area	5-3
Figure 5-2. Comparison of Monthly Maximum Day and Peak Hour Demand to Reliable Well and Well Plus Booster Supply-South Service Area	5-3
Figure 5-3. Excess Capacity – North Service Area	5-4
Figure 5-4. Excess Capacity – South Service Area	5-5

Figure 6-1. Conjunctive Use Strategy to Meet the District Needs.....6-3

Figure 7-1. Conjunctive Use Strategy for Export from District7-3

Figure 7-2. Water Supply Alternative – Export from District.....7-7

Figure 7-2. Water Supply Alternative – Export from District.....7-7

Figure 9-1. NSA and SSA Maximum Day Diurnal Curves for 24 Hour Period9-1

Figure 10-1. NSA Groundwater Only MDD Nodal Pressures10-6

Figure 10-2. NSA Groundwater Only PHD Nodal Pressures10-7

Figure 10-3. NSA Groundwater Only MDD Pipeline Velocities.....10-8

Figure 10-4. NSA Groundwater Only PHD Pipeline Velocities10-9

Figure 10-5. SSA Groundwater Only MDD Nodal Pressures.....10-12

Figure 10-6. SSA Groundwater Only PHD Nodal Pressures10-13

Figure 10-7. SSA Groundwater Only MDD Pipeline Velocity.....10-14

Figure 10-8. SSA Groundwater Only PHD Pipeline Velocity10-15

Figure 10-9. NSA 2035 Available Fire Flow.....10-17

Figure 10-10. SSA 2035 Available Fire Flow10-18

Figure 10-11. New NSA Pressure Zone Options10-23

Figure 11-1. NSA Storage Capacity Analysis (Method 2)11-4

Figure 11-2. SSA Storage Capacity Analysis (Method 2)11-4

Figure 13-1. Existing and Recommended Generators.....13-4

Figure 13-2. 2035 Model Results with Recommended Generators13-6

Figure 14-1. Existing Surge Protection.....14-2

Figure 14-2. Pressures for Well 46 Pump Startup and Shutdown14-4

Figure 14-3. Pressures after Emergency Shutdown of Well 46 Pump With and Without
Hydropneumatic Tank14-5

Figure 16-1. Capital Needs Assessment Total Annual Cost – Source of Funding.....16-4

Figure 16-2. Capital Needs Assessment Total Annual Cost.....16-5

Figure 16-3. Capital Needs Assessment Production (source of supply) Projects Annual Cost16-8

Figure 16-4. Capital Needs Assessment Storage Projects Annual Cost16-12

Figure 16-5. Capital Needs Assessment Distribution Projects Annual Cost16-14

Figure 16-6. Capital Needs Assessment Special Projects Annual Cost16-18

Figure 16-7. Capital Needs Analysis Potential Projects Annual Cost16-21

LIST OF TABLES

Table ES-1.	Unit Water Use	ES-4
Table ES-2.	2035 Maximum Day and Peak Hour Demands	ES-5
Table 2-1.	North Service Area Wells	2-7
Table 2-2.	South Service Area Wells.....	2-8
Table 2-3.	Distribution Main Pipe Diameter (in) by Pipe Length (ft).....	2-13
Table 2-4.	Distribution Main Pipe Material by Pipe Length (ft).....	2-13
Table 2-5.	Storage and Pump Stations.....	2-14
Table 2-6.	Booster Pump Stations.....	2-15
Table 2-7.	District Interties.....	2-16
Table 3-1.	Historical Population, Housing, and Employment Estimates	3-1
Table 3-2.	Population, Housing, and Employment Estimates.....	3-2
Table 3-3.	Historical Water Production	3-7
Table 3-4.	Historical Demand by Customer Category, ac-ft	3-9
Table 3-5.	Historical Connections by Customer Classification	3-9
Table 3-6.	Unit water Use.....	3-11
Table 3-7.	2035 Projected Water Demands by Customer Category and District Service Area, ac-ft/yr	3-12
Table 3-8.	Comparison of Projected Demands, ac-ft/yr.....	3-12
Table 3-9.	20x2020 Goal (gpcd).....	3-13
Table 3-10.	2035 Maximum Day and Peak Hour Demands	3-15
Table 3-11.	2035 Maximum Day and Peak Hour Demands with Current McClellan Business Park Demands (721 ac-ft/yr).....	3-15
Table 4-1.	District Groundwater Banking Program Annual Volumes	4-4
Table 4-2.	Groundwater Pumping Targets – Multiple Approaches Results	4-8
Table 4-3.	Plume Summary Description	4-9
Table 4-4.	Plume Threat to District	4-12
Table 4-5.	Calculated Groundwater Capture Radial Extents	4-13
Table 4-6.	Potential Mitigation Measures for Major Plumes	4-15
Table 4-7.	Water Year Types and Exceedence Probability as Defined by the Water Forum Agreement	4-19
Table 4-8.	PCWA Contract Schedule	4-20
Table 4-9.	Available City of Sacramento Supply	4-26
Table 5-1.	Monthly Proportion of Annual Demand.....	5-1
Table 5-2.	Well and Booster Pump Capacity by Service Area.....	5-2
Table 5-3.	Example Annual Excess Capacity Need, ac-ft/yr	5-4
Table 6-1.	Conjunctive Use Strategy, Meet District Needs – North Service Area, ac-ft.....	6-2
Table 6-2.	Conjunctive Use Strategy, Meet District Needs – South Service Area, ac-ft.....	6-2
Table 6-3.	Conjunctive Use Strategy, Meet District Needs – Total System ^a , ac-ft.....	6-2
Table 6-4.	Water Supply Alternatives	6-4
Table 6-5.	Worst Case Evaluation – North Service Area, ac-ft.....	6-6
Table 6-6.	Worst Case Evaluation – South Service Area, ac-ft	6-6
Table 6-7.	Worst Case Evaluation – Total System	6-7
Table 7-1.	Conjunctive Use Strategy, Export from District– North Service Area, ac-ft/yr	7-2

Table 7-2. Conjunctive Use Strategy, Export from the District – South Service Area, ac-ft/yr7-2

Table 7-3. Conjunctive Use Strategy, Export from the District – Total System.....7-2

Table 7-4. Export from District Opportunities.....7-4

Table 8-1. Surface Water Constituents of Concern8-5

Table 8-2. Groundwater Constituents of Concern in the District.....8-7

Table 10-1. Sacramento Suburban Water District Operational and Performance Criteria for Planning and Design 10-1

Table 10-2. Supply Sources Operating in Hydraulic Model in Supply Scenario 1. Groundwater Only - NSA..10-3

Table 10-3. Supply Sources Operating in Hydraulic Model In Supply Scenario Groundwater Only - SSA....10-10

Table 10-4. 2035 Subarea Pressure Zone Supply vs Maximum Day and Peak Hour Demand.....10-20

Table 10-5. Summary of Elevations and HGL by Service Area 10-22

Table 11-1. Fire Storage Requirements 11-2

Table 11-2. 2035 Storage and Pumping Capacity Evaluation 11-3

Table 13-1. Water Demand Evaluation Criteria – Demand Scenario A. 2035 Demands.....13-2

Table 13-2. Water Demand Evaluation Criteria – Demand Scenario B. 2035 Demands plus Current 2007 Business Park Demands 13-2

Table 13-3. Water Supply Facilities Currently with Backup Generators^a - NSA 13-3

Table 13-4. Backup Power Supply and Demand Comparison - NSA 13-5

Table 13-5. NSA Wells Recommended for Backup Generators 13-5

Table 13-6. Water Supply Facilities Currently with Backup Generators^a – SSA..... 13-7

Table 13-7. Backup Power Supply and Demand Comparison – SSA 13-8

Table 13-8. Wells Recommended for Backup Generators 13-8

Table 13-9. Comparison of Diesel Versus Gaseous-Fueled Engines..... 13-9

Table 13-10. Well Facility With PERP Generators 13-10

Table 14-1. Representative Facilities Analyzed for Surge 14-3

Table 16-1. Capital Needs Analysis – Cost in 2009 Dollars 16-6

Table 16-2. Capital Needs Analysis – Cost Escalated at 3% 16-7

Table 16-3. Assumptions for Production (source of supply) Projects 16-9

Table 16-4. Assumptions for Storage Projects 16-13

Table 16-5. Assumptions for Distribution Projects..... 16-15

Table 16-6. Assumptions for Special Projects 16-19

Table 16-7. Assumptions for Potential Projects..... 16-22

LIST OF ACRONYMS

AC&W	Aircraft Control and Warning
ac-ft	acre-feet
ac-ft/yr	acre-feet per year
ADD	average day demand
ACP	Antelope Conveyance Pipeline
AMF	American River at Folsom
ASR	aquifer storage and recovery
AWWA	American Water Works Association
BMP	Best Management Practice
BPS	booster pump station
Cal Am	California American Water Company
CARB	California Air Resources Board
CCL	Contaminant Candidate List
CDPH	California Department of Public Health
cfs	cubic feet per second
CHWD	Citrus Heights Water District
City	City of Sacramento
CTP	Cooperative Transmission Pipeline
CUWCC	California Urban Water Conservation Council
CVP	Central Valley Project
CWD	Carmichael Water District
DBP	Disinfection By Product
DBPR	Disinfection By Product Rule
District	Sacramento Suburban Water District
DTSC	Department of Toxic Substance Control
DU	dwelling units
DWR	Department of Water Resources
DWSAP	Drinking Water Source Assessment and Protection
EID	El Dorado Irrigation District
EIR	Environmental Impact Report
EMD	Sacramento County Environmental Management District
ET	evapotranspiration
Fe	iron
FOWD	Fair Oaks Water District
fps	feet per second
FS	feasibility study
ft	feet
GET	groundwater extraction and treatment
gpcd	gallons per capita per day
gpd/DU	gallons per day per dwelling unit
gpm	gallons per minute
GSWC	Golden State Water Company
GWMP	Groundwater Management Plan
GWR	Groundwater Rule
GWTP	groundwater treatment plant
HAA5	haloacetic acids

HGL	hydraulic grade line
HR	hydrologic regions
IDSE	Initial Distribution System Evaluation
IGSM	Sacramento County Integrated Groundwater and Surface Water Model
in	inch
IRCTS	Inactive Rancho Cordova Test Site
MCL	maximum contaminant level
MDD	maximum day demand
MDD + FF	maximum day demand plus fireflow
MF	multi-family
MG	million gallons
mg/L	milligrams per liter
MGD	million gallons per day
MMM	Multimedia Mitigation Program
Mn	Manganese
MTBE	Methyl Tertiary-Butyl Ether
NDMA	N-Nitrosodimethylamine
NL	Notification Level
N03	Nitrate
NPDES	National Pollutant Discharge Elimination System
NPDWR	National Primary Drinking Water Regulation
NSA	North Service Area
OCAP	Operational Criteria and Plan
OEHHA	California Office of Environmental Health Hazard Assessment
OVWD	Orange Vale Water District
PCA	possible contaminating activity
PCE	tetrachloroethylene
pCi/L	picocuries per liter
PCWA	Placer County Water Agency
PERP	Portable Equipment Registration Program
PHD	peak hour demand
Plan	District Water System Master Plan
POU	place of use
PP	proposed plan
ppb	parts per billion
ppm	parts per million
PRPs	potentially responsible parties
PRV	pressure reducing valve
psi	pounds per square inch
PVC	polyvinyl chloride
RAMAC	Rehabilitations and Maintenance Center
RLECWD	Rio Linda/Elverta Community Water District
ROD	Record of Decision
RWA	Regional Water Authority
RWQCB	California Regional Water Quality Control Board
SAC	Strategic Air Command
SACOG	Sacramento Area Council of Governments
SEIR	Supplemental Environmental Impact Report
SCADA	supervisory control and data acquisition
SF	single family

SGA	Sacramento Groundwater Authority
SJWD	San Juan Water District
SMAQMD	Sacramento Metropolitan Air Quality Management District
SPTCO	Southern Pacific Transportation Company
SSA	South Service Area
SSO	storm sewer overflow
SVE	soil vapor extraction
SWRCB	State Water Resources Control Board
TAZ	traffic analysis zone
TCE	trichloroethene
TDS	total dissolved solids
TM	Technical Memorandum
TOC	total organic carbon
TTHM	total trihalomethanes
UAW	unaccounted-for water
µg/L	micrograms per liter
UIFR	unimpaired inflow into Folsom Reservoir
UPRR	Union Pacific Railroad Company
USBR	United States Bureau of Reclamation
USEPA	United States Environmental Protection Agency
UST	underground storage tank
UWMP	Urban Water Management Plan
VFD	variable frequency drive
VOC	volatile organic compounds
WCMP	Water Conservation Master Plan
WFA	Water Forum Agreement
WTP	water treatment plant
WQTA	Water Quality Threat Assessment